


Available For
Quick Delivery



**Bronze and
Stainless Steel
2-Way**

SOLENOID VALVES

For Control Of
**WATER • OIL • STEAM
AIR • GAS • CRYOGENICS
SOLVENTS • OXYGEN
CORROSIVE FLUIDS**



* CHECK ONLINE FOR PRICE BOOK UPDATES

PRICE BOOK

Catalog 3006

Terms and Conditions of Sale

- 1. Catalog:** This catalog supersedes all previous issues.
- 2. Quotations:** Quotations are made for acceptance within 60 days and are subject to change or withdrawal without notice.
- 3. Prices and Discounts:** All prices and discounts are in accordance with the prices and discounts established by Magnatrol and are subject to change without notice.
- 4. Terms:** Net 30 days, subject to establishment of credit.
- 5. Shipments:** All shipments are F.O.B. factory, Hawthorne, New Jersey. We are not responsible for any damage due to shipping.
- 6. Minimum Billing:** Minimum billing charge is \$ 50.00 net.
- 7. Cancellations:** Orders are subject to cancellation only with our consent.
- 8. Shipping Date:** There shall be no liability for default or delay in shipping. All orders, contracts, and agreements are made subject to delays contingent upon accidents, strikes, embargoes or other causes beyond our control.
- 9. Design and Materials:** All materials and designs are subject to change without notice.
- 10. Weights and Dimensions:** Weights and dimensions listed in the catalog are as close to actual as is practical but are not guaranteed and are subject to change without notice.
- 11. Errors:** All clerical errors are subject to correction.
- 12. Returns for Repair:** Valves returned for repair must be shipped prepaid and accompanied by a detailed report regarding service application, installation and nature of trouble or malfunction.
- 13. Returns for Credit:** Returns for credit will be accepted only with our consent. Credit will be subject to restocking charge and any additional expenses incurred in restoring valves to saleable condition. Credit will be issued only to original purchaser.
- 14. Taxes:** Any manufacturer's excise tax, use tax, sales tax or tax or duty of any nature shall be paid by the buyer. In the event that the seller is required to pay any such taxes or duties, the buyer shall reimburse seller therefore. The buyer may provide seller with an exemption certificate or other documents acceptable to taxing or customs authorities at the time an order is placed.
- 15. Guarantee:** MAGNATROL valves are guaranteed to be free from any defects in material and workmanship for one year or 500,000 cycles, whichever comes first. Our guarantee solely conveys the right to repair or replace free of charge, any defective valves, or parts, thereof, returned to us transportation charges prepaid, within one year after date of original shipment from factory.

This guarantee shall not apply if the valve has been:

- A. Improperly Installed
- B. Used for other than intended service
- C. Repaired without authorization

INDEX

<u>Description</u>	<u>Page(s)</u>
Valve Types N and NR	4, 5
Valve Types A and AR	6, 7
Valve Types M and MR	8, 9
Valve Types S and SR	10, 11
Valve Types L and LR	12, 13
Valve Types G and GR	14
Valve Type D	15
Valve Types J and JR	16, 17
Valve Types K and KR	18, 19
Valve Types W and WR	20, 21
Strainers, Options and Accessories	22
Valve Type P	23
Sandy Well Water Valves	24
Special Valves	24
Gritty Coolant Valves	25
Ordering Guideline	27

NOTE: All prices are shown in US \$.
Prices and discounts are subject
to change without notice.
Price corrections on revised editions
are shown in bold type.

QUICK DELIVERY

Standard shipment: 3 to 7 Days

Air Freight shipment: 1 to 2 Days

Consult factory for same day and next day shipments.

For valve type selection and pricing assistance,
please contact our sales staff at 973-427-4341 or
e-mail to info@magnatrol.com.

We will be happy to assist you.

BRONZE TYPE "N" - NORMALLY CLOSED 1/2" AND 3/4" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price												
					ALL DC	Other AC	E or F Encls.	Prefix Options				Seal		Suffix Options			
								DR	FC	MO	MS	V	T	HT	LT	NP	RB
1/4	USE 1/2" VALVE WITH REDUCER BUSHING																
3/8	USE 1/2" VALVE WITH REDUCER BUSHING or TYPE "M" VALVE																
1/2	25	3/8	G18N22	157	31	24	91	36	87	62	36	17	11	22	55	169	22
	50	1/4	G18N42	157	31	24	91	36	87	62	36	17	11	22	55	169	22
	75	3/16	G18N52	157	31	24	91	36	87		36	17	11	22	55	169	22
	100	5/32	G18N82	157	31	24	91	36	87		36	17	11	22	55	169	22
	150	1/8	G18N62	157	31	24	91	36	87		36	17	11	22	55	169	22
	225	3/32	G18N72	157	31	24	91	36	87		36	17	11	22	55	169	22
	50	3/8	G33N22	237	31	24	111	36	87	62	36	17	11	28	55	169	22
	75	5/16	G33N32	237	31	24	111	36	87	62	36	17	11	28	55	169	22
	100	1/4	G33N42	237	31	24	111	36	87	62	36	17	11	28	55	169	22
	150	3/16	G33N52	237	31	24	111	36	87		36	17	11	28	55	169	22
300	1/8	G33N62	237	31	24	111	36	87		36	17	11	28	55	169	22	
3/4	15	1/2	G18N13	164	31	24	91	36	87	62	36	17	13	22		184	
	35	5/16	G18N33	164	31	24	91	36	87	62	36	17	13	22		184	
	30	1/2	G33N13	247	31	24	111	36	87	62	36	17	13	28		184	
	75	5/16	G33N33	247	31	24	111	36	87	62	36	17	13	28		184	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

**BRONZE
TYPE "NR" - NORMALLY OPEN
1/2" AND 3/4" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price											
					ALL DC	Other AC	E or F Encls.	Prefix Options			Seal		Suffix Options			
								DR	FC	MS	V	T	HT	LT	NP	RB
1/4	USE 1/2" VALVE WITH REDUCER BUSHING															
3/8	USE 1/2" VALVE WITH REDUCER BUSHING or TYPE "MR" VALVE															
1/2	23	3/8	G18NR22	226	31	24	91	36	87	36	17	11	22	55	169	22
	45	1/4	G18NR42	226	31	24	91	36	87	36	17	11	22	55	169	22
	70	3/16	G18NR52	226	31	24	91	36	87	36	17	11	22	55	169	22
	90	5/32	G18NR82	226	31	24	91	36	87	36	17	11	22	55	169	22
	135	1/8	G18NR62	226	31	24	91	36	87	36	17	11	22	55	169	22
	200	3/32	G18NR72	226	31	24	91	36	87	36	17	11	22	55	169	22
	45	3/8	G33NR22	309	31	24	111	36	87	36	17	11	28	55	169	22
	70	5/16	G33NR32	309	31	24	111	36	87	36	17	11	28	55	169	22
	90	1/4	G33NR42	309	31	24	111	36	87	36	17	11	28	55	169	22
	135	3/16	G33NR52	309	31	24	111	36	87	36	17	11	28	55	169	22
3/4	270	1/8	G33NR62	309	31	24	111	36	87	36	17	11	28	55	169	22
	13	1/2	G18NR13	233	31	24	91	36	87	36	17	13	22		184	
	32	5/16	G18NR33	233	31	24	91	36	87	36	17	13	22		184	
	27	1/2	G33NR13	324	31	24	111	36	87	36	17	13	28		184	
	70	5/16	G33NR33	324	31	24	111	36	87	36	17	13	28		184	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

————— **MAGNATROL VALVE CORPORATION** —————
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE TYPE "A" FULL PORT - NORMALLY CLOSED 1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price																				
				ALL DC	Other AC	E or F Encls.	Prefix Options										Disc		Suffix Options				FLG	
							DP	DR	FC	LV	MO	MS	PD	PL	PLF	PS	PSF	V	T	HT	LT	NP		RB
1/2	110	G18A42	200	31	24	91	196	36	111	196	71	36	185	424	453	303	424	36	11	22	†	169	22	155
	200	G18A32	206	31	24	91	196	36	111	196	71	36	185	424	453	303	424	36	11	22		169	22	155
	300	G18A52	217	31	24	91	196	36	111		71	36	185	424	453	303	424	36	11	22		169	22	
	500	E33A62	365	31	24	33	196	36	111		71	36	185	424	453	303	424	36	11	28		169	22	
3/4	50	G18A23	226	31	24	91	243	36	118	243	80	36	185	424	453	303	424	43	13	22	41	184		155
	110	G18A43	226	31	24	91	243	36	118	243	80	36	185	424	453	303	424	43	13	22		184		155
	160	G118A43	273	31	24	91	243	36	118	243	80	36	185	424	453	303	424	43	13			184		155
	200	G33A33	319	31	24	111	243	36	118	243	80	36	185	424	453	303	424	43	13	28		184		155
	300	G33A53	323	31	24	111	243	36	118		80	36	185	424	453	303	424	43	13	28		184		
	500	E133A63	439	31	24	33	243	36	118		80	36	185	424	453	303	424	43	13				184	
1	50	G18A24	273	31	24	91	249	36	128	249	90	36	185	424	453	303	424	53	15	22	47	214		181
	110	G18A44	273	31	24	91	249	36	128	249	90	36	185	424	453	303	424	53	15	22		214		181
	160	G118A44	313	31	24	91	249	36	128	249	90	36	185	424	453	303	424	53	15			214		181
	200	G33A34	357	31	24	111	249	36	128	249	90	36	185	424	453	303	424	53	15	28		214		181
	300	G33A54	371	31	24	111	249	36	128		90	36	185	424	453	303	424	53	15	28		214		
	500	E133A64	496	31	24	33	249	36	128		90	36	185	424	453	303	424	53	15				214	
1-1/4	50	G18A25	348	31	24	91	283	36	134	283	118	36	219	453	483	333	453	62	20	22	47	273		232
	90	G18A45	348	31	24	91	283	36	134	283	118	36	219	453	483	333	453	62	20	22		273		232
	150	G118A45	402	31	24	91	283	36	134	283	118	36	219	453	483	333	453	62	20			273		232
	200	G33A35	451	31	24	111	283	36	134	283	118	36	219	453	483	333	453	62	20	28		273		232
	300	G33A55	451	31	24	111	283	36	134		118	36	219	453	483	333	453	62	20	28		273		
	500	G40A65	705		24	140	283	36				36	219	453	483	333	453	62	20	36		273		
1-1/2	50	G35A26	534	61	24	111	322	36	159	322	125	36	219	453	483	333	453	51	27	28	47	328		232
	115	G35A46	534	61	24	111	322	36	159	322	125	36	219	453	483	333	453	51	27	28		328		232
	160	G135A46	608	61	24	111	322	36	159	322	125	36	219	453	483	333	453	51	27			328		232
	200	G41A36	742	61	24	140	322	36	159	322	125	36	219	453	483	333	453	51	27	36		328		232
	300	G41A56	773	61	24	140	322	36	159		125	36	219	453	483	333	453	51	27	36		328		
	500	G141A66	917	61	24	140	322	36				36	219	453	483	333	453	51	27			328		
2	50	G36A27	772	61	24	111	403	36	219	403	141		266	472	501	351	472	57	41	28	57	397		284
	100	G36A47	787	61	24	111	403	36	219	403	141		266	472	501	351	472	57	41	28		397		284
	150	G136A47	875	61	24	111	403	36	219	403	141		266	472	501	351	472	57	41			397		284
	200	G42A37	1,067	61	24	140	403	36	219	403	141		266	472	501	351	472	57	41	36		397		284
	300	G42A57	1,124	61	24	140	403	36	219		141		266	472	501	351	472	57	41	36		397		
	500	G142A67	1,278	61	24	140	403	36					266	472	501	351	472	57	41			397		
2-1/2	50	G43A28	1,288	61	24	140	449	36	256	449	206		266	472	501	351	472	101	61	36	57	489		412
	125	G43A48	1,331	61	24	140	449	36	256	449	206		266	472	501	351	472	101	61	36		489		412
	200	G43A38	1,415	61	24	140	449	36	256	449	206		266	472	501	351	472	101	61	36		489		412
	300	G143A58	1,524	61	24	140	449	36	256		206		266	472	501	351	472	101	61			489		
3	50	G44A29	1,676	61	24	140	540	36	339	540	266		321	544	573	424	544	122	90	36	57	577		464
	100	G44A49	1,769	61	24	140	540	36	339	540	266		321	544	573	424	544	122	90	36		577		464
	200	G44A39	1,868	61	24	140	540	36	339	540	266		321	544	573	424	544	122	90	36		577		464
	300	G144A59	2,072	61	24	140	540	36	339		266		321	544	573	424	544	122	90			577		

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.

† LT OPTION AVAILABLE FOR PRESSURES UNDER 60 PSI.

SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.

IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days

Air Freight shipment: 1 to 2 Days

Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
 Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
 Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE
TYPE "AR" FULL PORT - NORMALLY OPEN
1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price										
				ALL DC	Other AC	E or F Encls.	Prefix		Disc		Suffix Options			FLG
							DP	MS	V	T	HT	NP	RB	
1/2	110	G18AR42	294	31	24	91	196	36	36	11	22	169	22	155
	200	G18AR32	302	31	24	91	196	36	36	11	22	169	22	155
	300	G18AR52	309	31	24	91	196	36	36	11	22	169	22	
	500	E33AR62	480	31	24	33	196	36	36	11	28	169	22	
3/4	50	G18AR23	317	31	24	91	243	36	43	13	22	184		155
	110	G18AR43	317	31	24	91	243	36	43	13	22	184		155
	200	G33AR33	411	31	24	111	243	36	43	13	28	184		155
	300	G33AR53	426	31	24	111	243	36	43	13	28	184		
	500	E133AR63	541	31	24	33	243	36	43	13		184		
1	50	G18AR24	374	31	24	91	249	36	53	15	22	214		181
	110	G18AR44	374	31	24	91	249	36	53	15	22	214		181
	200	G33AR34	475	31	24	111	249	36	53	15	28	214		181
	300	G33AR54	489	31	24	111	249	36	53	15	28	214		
	500	E133AR64	624	31	24	33	249	36	53	15		214		
1-1/4	50	G18AR25	451	31	24	91	283	36	62	20	22	273		232
	90	G18AR45	451	31	24	91	283	36	62	20	22	273		232
	200	G33AR35	563	31	24	111	283	36	62	20	28	273		232
	300	G33AR55	563	31	24	111	283	36	62	20	28	273		
	500	G40AR65	943		24	140	283	36	62	20	36	273		
1-1/2	50	G35AR26	662	61	24	111	322	36	51	27	28	328		232
	115	G35AR46	662	61	24	111	322	36	51	27	28	328		232
	200	G41AR36	892	61	24	140	322	36	51	27	36	328		232
	300	G41AR56	952	61	24	140	322	36	51	27	36	328		
	500	G141AR66	1,174	61	24	140	322	36	51	27		328		
2	50	G36AR27	924	61	24	111	403		57	41	28	397		284
	100	G36AR47	936	61	24	111	403		57	41	28	397		284
	200	G42AR37	1,308	61	24	140	403		57	41	36	397		284
	300	G42AR57	1,398	61	24	140	403		57	41	36	397		
	500	G142AR67	1,616	61	24	140	403		57	41		397		
2-1/2	50	G43AR28	1,540	61	24	140	449		101	61	36	489		412
	125	G43AR48	1,598	61	24	140	449		101	61	36	489		412
	200	G43AR38	1,724	61	24	140	449		101	61	36	489		412
	300	G143AR58	1,932	61	24	140	449		101	61		489		
3	50	G44AR29	2,127	61	24	140	540		122	90	36	577		464
	100	G44AR49	2,212	61	24	140	540		122	90	36	577		464
	200	G44AR39	2,359	61	24	140	540		122	90	36	577		464
	300	G144AR59	2,544	61	24	140	540		122	90		577		

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
 SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
 IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days

Air Freight shipment: 1 to 2 Days

Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
 Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
 Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

**BRONZE
TYPE "M" - NORMALLY CLOSED
3/8" TO 3/4" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price											
					ALL DC	Other AC	E or F Encls.	Prefix Options				Seal		Suffix		
								DR	FC	MO	MS	V	T	LT	NP	RB
3/8	25	3/8	G10M21	183	54	24	91	36	87	62	36		11	55	169	22
	50	1/4	G10M41	183	54	24	91	36	87	62	36		11	55	169	22
	75	3/16	G10M51	183	54	24	91	36	87		36		11	55	169	22
	100	5/32	G10M81	183	54	24	91	36	87		36		11	55	169	22
	150	1/8	G10M61	183	54	24	91	36	87		36		11	55	169	22
	50	3/8	G25M21	271	54	24	111	36	87	62	36		11	55	169	22
	75	5/16	G25M31	271	54	24	111	36	87	62	36		11	55	169	22
	100	1/4	G25M41	271	54	24	111	36	87	62	36		11	55	169	22
	150	3/16	G25M51	271	54	24	111	36	87		36		11	55	169	22
1/2	25	3/8	G10M22	196	54	24	91	36	87	62	36		11	55	169	22
	50	1/4	G10M42	196	54	24	91	36	87	62	36		11	55	169	22
	75	3/16	G10M52	196	54	24	91	36	87		36		11	55	169	22
	100	5/32	G10M82	196	54	24	91	36	87		36		11	55	169	22
	150	1/8	G10M62	196	54	24	91	36	87		36		11	55	169	22
	50	3/8	G25M22	290	54	24	111	36	87	62	36		11	55	169	22
	75	5/16	G25M32	290	54	24	111	36	87	62	36		11	55	169	22
	100	1/4	G25M42	290	54	24	111	36	87	62	36		11	55	169	22
150	3/16	G25M52	290	54	24	111	36	87		36		11	55	169	22	
3/4	15	1/2	G10M13	209	54	24	91	36	87	62	36		13		184	
	35	5/16	G10M33	209	54	24	91	36	87	62	36		13		184	
	30	1/2	G25M13	307	54	24	111	36	87	62	36		13		184	
	75	5/16	G25M33	307	54	24	111	36	87	62	36		13		184	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

**BRONZE
TYPE "MR" - NORMALLY OPEN
3/8" TO 3/4" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price										
					ALL DC	Other AC	E or F Encls.	Prefix Options			Seal		Suffix		
								DR	FC	MS	V	T	LT	NP	RB
3/8	23	3/8	G10MR21	268	54	24	91	36	87	36		11	55	169	22
	45	1/4	G10MR41	268	54	24	91	36	87	36		11	55	169	22
	70	3/16	G10MR51	268	54	24	91	36	87	36		11	55	169	22
	90	5/32	G10MR81	268	54	24	91	36	87	36		11	55	169	22
	135	1/8	G10MR61	268	54	24	91	36	87	36		11	55	169	22
	45	3/8	G25MR21	366	54	24	111	36	87	36		11	55	169	22
	70	5/16	G25MR31	366	54	24	111	36	87	36		11	55	169	22
	90	1/4	G25MR41	366	54	24	111	36	87	36		11	55	169	22
	135	3/16	G25MR51	366	54	24	111	36	87	36		11	55	169	22
1/2	23	3/8	G10MR22	282	54	24	91	36	87	36		11	55	169	22
	45	1/4	G10MR42	282	54	24	91	36	87	36		11	55	169	22
	70	3/16	G10MR52	282	54	24	91	36	87	36		11	55	169	22
	90	5/32	G10MR82	282	54	24	91	36	87	36		11	55	169	22
	135	1/8	G10MR62	282	54	24	91	36	87	36		11	55	169	22
	45	3/8	G25MR22	382	54	24	111	36	87	36		11	55	169	22
	70	5/16	G25MR32	382	54	24	111	36	87	36		11	55	169	22
	90	1/4	G25MR42	382	54	24	111	36	87	36		11	55	169	22
3/4	13	1/2	G10MR13	302	54	24	91	36	87	36		13		184	
	32	5/16	G10MR33	302	54	24	91	36	87	36		13		184	
	27	1/2	G25MR13	403	54	24	111	36	87	36		13		184	
	70	5/16	G25MR33	403	54	24	111	36	87	36		13		184	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnetrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnetrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnetrol.com

BRONZE TYPE "S" FULL PORT - NORMALLY CLOSED 1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price																	
				ALL DC	Other AC	E or F Encls	Prefix Options										Disc		Suffix		FLG
							DR	FC	LV	MO	MS	PD	PL	PLF	PS	PSF	V	NP	RB	F1	
1/2	90	G14S22	245	54	24	91	36	111	196	71	36	185	424	453	303	424	28	169	22	155	
	140	G114S42	251	54	24	91	36	111	196	71	36	185	424	453	303	424	28	169	22	155	
	180	G129S42	336	54	24	111	36	111	196	71	36	185	424	453	303	424	28	169	22		
3/4	50	G14S23	275	54	24	91	36	118	243	80	36	185	424	453	303	424	33	184		155	
	110	G114S43	281	54	24	91	36	118	243	80	36	185	424	453	303	424	33	184		155	
	180	G129S43	370	54	24	111	36	118	243	80	36	185	424	453	303	424	33	184			
1	25	G16S14	322	54	24	91	36	128	249	90	36	185	424	453	303	424	42	214		181	
	50	G116S24	331	54	24	91	36	128	249	90	36	185	424	453	303	424	42	214		181	
	90	G116S44	341	54	24	91	36	128	249	90	36	185	424	453	303	424	42	214		181	
	180	G131S44	438	54	24	111	36	128	249	90	36	185	424	453	303	424	42	214			
1-1/4	25	G17S15	402	54	24	91	36	134	283	118	36	219	453	483	333	453	44	273		232	
	50	G117S25	410	54	24	91	36	134	283	118	36	219	453	483	333	453	44	273		232	
	140	G132S45	502	54	24	111	36	134	283	118	36	219	453	483	333	453	44	273		232	
	180	G140S45	808		24	140	36	134	283	118	36	219	453	483	333	453	44	273			
1-1/2	25	G35S16	571	82	24	111	36	159	322	125	36	219	453	483	333	453	51	328		232	
	50	G35S26	587	82	24	111	36	159	322	125	36	219	453	483	333	453	51	328		232	
	90	G135S46	617	82	24	111	36	159	322	125	36	219	453	483	333	453	51	328		232	
	180	G141S46	917	82	24	140	36	159	322	125	36	219	453	483	333	453	51	328			
2	25	G36S17	831	82	24	111	36	219	403	141		266	472	501	351	472	57	397		284	
	50	G36S27	876	82	24	111	36	219	403	141		266	472	501	351	472	57	397		284	
	115	G42S47	1,296	82	24	140	36	219	403	141		266	472	501	351	472	57	397		284	
	180	G142S47	1,351	82	24	140	36	219	403	141		266	472	501	351	472	57	397			
2-1/2	25	G43S18	1,515	82	24	140	36	256	449	206		266	472	501	351	472	101	489		412	
	50	G43S28	1,605	82	24	140	36	256	449	206		266	472	501	351	472	101	489		412	
	115	G43S48	1,714	82	24	140	36	256	449	206		266	472	501	351	472	101	489		412	
	175	G143S48	1,824	82	24	140	36	256	449	206		266	472	501	351	472	101	489			
3	25	G44S19	1,932	82	24	140	36	339	540	266		321	544	573	424	544	122	577		464	
	50	G44S29	2,033	82	24	140	36	339	540	266		321	544	573	424	544	122	577		464	
	100	G44S49	2,145	82	24	140	36	339	540	266		321	544	573	424	544	122	577		464	
	150	G144S49	2,255	82	24	140	36	339	540	266		321	544	573	424	544	122	577		464	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

**BRONZE
TYPE "SR" FULL PORT - NORMALLY OPEN
1/2" TO 3" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price							
				ALL DC	Other AC	E or F Encls.	Prefix	Disc	Suffix		FLG
							MS	V	NP	RB	F1
1/2	90	G14SR22	363	54	24	91	36	28	169	22	155
	140	G114SR42	370	54	24	91	36	28	169	22	155
	180	G129SR42	480	54	24	111	36	28	169	22	
3/4	50	G14SR23	390	54	24	91	36	33	184		155
	110	G114SR43	396	54	24	91	36	33	184		155
	180	G129SR43	511	54	24	111	36	33	184		
1	25	G16SR14	467	54	24	91	36	42	214		181
	50	G116SR24	489	54	24	91	36	42	214		181
	90	G116SR44	503	54	24	91	36	42	214		181
	180	G131SR44	595	54	24	111	36	42	214		
1-1/4	25	G17SR15	554	54	24	91	36	44	273		232
	50	G117SR25	587	54	24	91	36	44	273		232
	140	G132SR45	724	54	24	111	36	44	273		232
	180	G140SR45	996		24	140	36	44	273		
1-1/2	25	G35SR16	786	82	24	111	36	51	328		232
	50	G35SR26	824	82	24	111	36	51	328		232
	90	G135SR46	859	82	24	111	36	51	328		232
	180	G141SR46	1,157	82	24	140	36	51	328		
2	25	G36SR17	1,106	82	24	111		57	397		284
	50	G36SR27	1,151	82	24	111		57	397		284
	115	G42SR47	1,616	82	24	140		57	397		284
	180	G142SR47	1,735	82	24	140		57	397		
2-1/2	25	G43SR18	1,885	82	24	140		101	489		412
	50	G43SR28	1,991	82	24	140		101	489		412
	115	G43SR48	2,115	82	24	140		101	489		412
	175	G143SR48	2,232	82	24	140		101	489		
3	25	G44SR19	2,349	82	24	140		122	577		464
	50	G44SR29	2,484	82	24	140		122	577		464
	100	G44SR49	2,621	82	24	140		122	577		464
	150	G144SR49	2,775	82	24	140		122	577		464

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnetrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnetrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnetrol.com

**BRONZE
TYPE "L" FULL PORT - NORMALLY CLOSED
1/2" TO 3" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price																					
				ALL DC	Other AC	E or F Encls.	Prefix Options														Disc	Suffix Options			FLG
							DP	DR	FC	LV	MO	MS	PD	PL	PLF	PS	PSF	V	LT	NP		RB	F1		
1/2	110	G14L42	245	54	24	91	196	36	111	196	71	36	185	424	453	303	424	28	†	169	22	155			
	200	G14L32	258	54	24	91	196	36	111	196	71	36	185	424	453	303	424	28		169	22				
	300	G29L52	342	54	24	111	196	36	111		71	36	185	424	453	303	424	28		169	22				
	500	E29L62	408	54	24	33	196	36	111		71	36	185	424	453	303	424	28		169	22				
3/4	50	G14L23	275	54	24	91	243	36	118	243	80	36	185	424	453	303	424	33	41	184		155			
	110	G14L43	275	54	24	91	243	36	118	243	80	36	185	424	453	303	424	33		184		155			
	200	G29L33	371	54	24	111	243	36	118	243	80	36	185	424	453	303	424	33		184					
	300	G129L53	396	54	24	111	243	36	118		80	36	185	424	453	303	424	33		184					
	500	E129L63	490	54	24	33	243	36	118		80	36	185	424	453	303	424	33		184					
1	50	G16L24	322	54	24	91	249	36	128	249	90	36	185	424	453	303	424	42	47	214		181			
	110	G16L44	322	54	24	91	249	36	128	249	90	36	185	424	453	303	424	42		214		181			
	200	G31L34	426	54	24	111	249	36	128	249	90	36	185	424	453	303	424	42		214					
	300	G131L54	436	54	24	111	249	36	128		90	36	185	424	453	303	424	42		214					
	500	E131L64	538	54	24	33	249	36	128		90	36	185	424	453	303	424	42		214					
1-1/4	50	G17L25	402	54	24	91	283	36	134	283	118	36	219	453	483	333	453	44	47	273		232			
	90	G17L45	402	54	24	91	283	36	134	283	118	36	219	453	483	333	453	44		273		232			
	200	G32L35	514	54	24	111	283	36	134	283	118	36	219	453	483	333	453	44		273					
	300	G132L55	548	54	24	111	283	36	134		118	36	219	453	483	333	453	44		273					
	500	G140L65	808		24	140	283	36				36	219	453	483	333	453	44		273					
1-1/2	50	G35L26	582	82	24	111	322	36	159	322	125	36	219	453	483	333	453	51	47	328		232			
	115	G35L46	582	82	24	111	322	36	159	322	125	36	219	453	483	333	453	51		328		232			
	200	G41L36	849	82	24	140	322	36	159	322	125	36	219	453	483	333	453	51		328					
	300	G141L56	878	82	24	140	322	36	159		125	36	219	453	483	333	453	51		328					
	500	G141L66	1,003	82	24	140	322	36				36	219	453	483	333	453	51		328					
2	50	G36L27	836	82	24	111	403	36	219	403	141		266	472	501	351	472	57	57	397		284			
	100	G36L47	890	82	24	111	403	36	219	403	141		266	472	501	351	472	57		397		284			
	200	G42L37	1,288	82	24	140	403	36	219	403	141		266	472	501	351	472	57		397					
	300	G42L57	1,313	82	24	140	403	36	219		141		266	472	501	351	472	57		397					
	500	G142L67	1,466	82	24	140	403	36					266	472	501	351	472	57		397					
2-1/2	50	G43L28	1,515	82	24	140	449	36	256	449	206		266	472	501	351	472	101	57	489		412			
	125	G43L48	1,614	82	24	140	449	36	256	449	206		266	472	501	351	472	101		489		412			
	200	G43L38	1,714	82	24	140	449	36	256	449	206		266	472	501	351	472	101		489					
	300	G143L58	1,824	82	24	140	449	36	256		206		266	472	501	351	472	101		489					
3	50	G44L29	1,932	82	24	140	540	36	339	540	266		321	544	573	424	544	122	57	577		464			
	100	G44L49	2,024	82	24	140	540	36	339	540	266		321	544	573	424	544	122		577		464			
	200	G44L39	2,145	82	24	140	540	36	339	540	266		321	544	573	424	544	122		577					
	300	G144L59	2,301	82	24	140	540	36	339		266		321	544	573	424	544	122		577					

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.

† LT OPTION AVAILABLE FOR PRESSURES UNDER 60 PSI.

SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.

IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days

Air Freight shipment: 1 to 2 Days

Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnetrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnetrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnetrol.com

BRONZE
TYPE "LR" FULL PORT - NORMALLY OPEN
1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price							
				ALL DC	Other AC	E or F Encls.	Prefix	Disc	Suffix		FLG
							MS	V	NP	RB	F1
1/2	110	G14LR42	366	54	24	91	36	28	169	22	155
	200	G14LR32	376	54	24	91	36	28	169	22	
	300	G29LR52	480	54	24	111	36	28	169	22	
	500	E29LR62	541	54	24	33	36	28	169	22	
3/4	50	G14LR23	395	54	24	91	36	33	184		155
	110	G14LR43	395	54	24	91	36	33	184		155
	200	G29LR33	511	54	24	111	36	33	184		
	300	G129LR53	541	54	24	111	36	33	184		
	500	E129LR63	625	54	24	33	36	33	184		
1	50	G16LR24	467	54	24	91	36	42	214		181
	110	G16LR44	467	54	24	91	36	42	214		181
	200	G31LR34	573	54	24	111	36	42	214		
	300	G131LR54	595	54	24	111	36	42	214		
	500	E131LR64	685	54	24	33	36	42	214		
1-1/4	50	G17LR25	561	54	24	91	36	44	273		232
	90	G17LR45	561	54	24	91	36	44	273		232
	200	G32LR35	702	54	24	111	36	44	273		
	300	G132LR55	732	54	24	111	36	44	273		
	500	G140LR65	1,004		24	140	36	44	273		
1-1/2	50	G35LR26	803	82	24	111	36	51	328		232
	115	G35LR46	803	82	24	111	36	51	328		232
	200	G41LR36	1,113	82	24	140	36	51	328		
	300	G141LR56	1,185	82	24	140	36	51	328		
	500	G141LR66	1,325	82	24	140	36	51	328		
2	50	G36LR27	1,125	82	24	111		57	397		284
	100	G36LR47	1,181	82	24	111		57	397		284
	200	G42LR37	1,632	82	24	140		57	397		
	300	G42LR57	1,696	82	24	140		57	397		
	500	G142LR67	1,872	82	24	140		57	397		
2-1/2	50	G43LR28	1,885	82	24	140		101	489		412
	125	G43LR48	2,010	82	24	140		101	489		412
	200	G43LR38	2,135	82	24	140		101	489		
	300	G143LR58	2,260	82	24	140		101	489		
3	50	G44LR29	2,443	82	24	140		122	577		464
	100	G44LR49	2,544	82	24	140		122	577		464
	200	G44LR39	2,640	82	24	140		122	577		
	300	G144LR59	2,775	82	24	140		122	577		

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days

Air Freight shipment: 1 to 2 Days

Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

**BRONZE
TYPE "G" FULL PORT - NORMALLY CLOSED
1" TO 3" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price																	
				ALL DC	Other AC	E or F Encls.	Prefix Options							Disc		Suffix Options			FLG		
							DR	LV	MO	MS	PD	PL	PLF	PS	PSF	V	T	HT		NP	PT
1	20	G18G24	234	31	24	91	36	249	90	36	185	424	453	303	424	66	15	22	214	36	181
	30	G118G24	251	31	24	91	36	249	90	36	185	424	453	303	424	66	15		214	36	181
	50	G133G24	342	31	24	111	36	249	90	36	185	424	453	303	424	66	15		214	36	181
1-1/4	20	G18G25	293	31	24	91	36	283	118	36	219	453	483	333	453	76	20	22	273	36	232
	30	G118G25	310	31	24	91	36	283	118	36	219	453	483	333	453	76	20		273	36	232
	50	G133G25	408	31	24	111	36	283	118	36	219	453	483	333	453	76	20		273	36	232
1-1/2	15	G18G26	381	61	24	91	36	322	125	36	219	453	483	333	453	83	27	22	328	36	232
	25	G118G26	399	61	24	91	36	322	125	36	219	453	483	333	453	83	27		328	36	232
	35	G133G26	501	61	24	111	36	322	125	36	219	453	483	333	453	83	27		328	36	232
2	18	G33G27	597	61	24	111	36	403	141		266	472	501	351	472	97	41	28	397	36	284
	30	G133G27	630	61	24	111	36	403	141		266	472	501	351	472	97	41		397	36	284
	50	G233G27	688	61	24	111	36	403	141		266	472	501	351	472	97	41		397	36	284
2-1/2	25	G43G28	1,159	61	24	140	36	449	206		266	472	501	351	472	109	61	36	489	36	412
	35	G143G28	1,195	61	24	140	36	449	206		266	472	501	351	472	109	61		489	36	412
3	25	G44G29	1,485	61	24	140	36	540	266		321	544	573	424	544	130	90	36	577	36	464
	35	G144G29	1,532	61	24	140	36	540	266		321	544	573	424	544	130	90		577	36	464

**BRONZE
TYPE "GR" FULL PORT - NORMALLY OPEN
1" TO 3" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price									
				ALL DC	Other AC	E or F Encls.	Prefix	Disc		Suffix Options			FLG
							MS	V	T	HT	NP	PT	
1	20	G18GR24	336	31	24	91	36	66	15	22	214	36	181
	35	G33GR24	426	31	24	111	36	66	15	28	214	36	181
1-1/4	20	G18GR25	398	31	24	91	36	76	20	22	273	36	232
	35	G33GR25	489	31	24	111	36	76	20	28	273	36	232
1-1/2	15	G18GR26	511	61	24	91	36	83	27	22	328	36	232
	25	G33GR26	619	61	24	111	36	83	27	28	328	36	232
2	18	G33GR27	755	61	24	111		97	41	28	397	36	284
	30	G133GR27	819	61	24	111		97	41		397	36	284
2-1/2	25	G43GR28	1,415	61	24	140		109	61	36	489	36	412
3	25	G44GR29	1,804	61	24	140		130	90	36	577	36	464

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

**BRONZE
TYPE "D" FULL PORT - NORMALLY CLOSED
1/2" TO 2" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price												
				ALL DC	Other AC	E or F Encls.	Prefix Options			Disc		Suffix Options				FLG
							DR	MO	MS	V	T	HT	NP	RB	PT	F1
3/8	15	G18D11	162	31	24	91	36	71	36	42	11	22	169	22	36	
	30	G33D11	234	31	24	111	36	71	36	42	11	28	169	22	36	
1/2	10	G18D12	162	31	24	91	36	71	36	42	11	22	169		36	155
	20	G33D12	234	31	24	111	36	71	36	42	11	28	169		36	155
3/4	4	G18D13	179	31	24	91	36	80	36	44	13	22	184		36	155
	7.5	G33D13	257	31	24	111	36	80	36	44	13	28	184		36	155
1	2	G18D14	200	31	24	91	36	90	36	53	15	22	214		36	181
	3.5	G33D14	275	31	24	111	36	90	36	53	15	28	214		36	181
1-1/4	1.3	G18D15	237	31	24	91	36	118	36	62	20	22	273		36	232
	2.3	G33D15	317	31	24	111	36	118	36	62	20	28	273		36	232
1-1/2	0.8	G18D16	296	61	24	91	36	125	36	66	27	22	328		36	232
	1.5	G33D16	372	61	24	111	36	125	36	66	27	28	328		36	232
2	0.8	G33D17	480	61	24	111	36	141		83	41	28	397		36	284
	1.2	G133D17	520	61	24	111	36	141		83	41		397		36	284

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com