

PRICE BOOK



Bronze and Stainless Steel 2-Way Solenoid Valves

*...For Reliable Control of
Water, Oil, Steam, Air, Gas, Cryogenics,
Solvents, Oxygen, and Corrosive Fluids*

**AVAILABLE for
QUICK DELIVERY**



**Proudly Made
in the USA**



* CHECK ONLINE FOR PRICE BOOK UPDATES

Catalog 3020

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

Terms and Conditions of Sale

- 1. Catalog:** This catalog supersedes all previous issues.
- 2. Quotations:** Quotations are made for acceptance within 60 days and are subject to change or withdrawal without notice.
- 3. Prices and Discounts:** All prices and discounts are in accordance with the prices and discounts established by Magnatrol and are subject to change without notice.
- 4. Terms:** Net 30 days, subject to establishment of credit.
- 5. Shipments:** All shipments are F.O.B. factory, Hawthorne, New Jersey. We are not responsible for any damage due to shipping.
- 6. Minimum Billing:** Minimum billing charge is \$ 50.00 net.
- 7. Cancellations:** Orders are subject to cancellation only with our consent.
- 8. Shipping Date:** There shall be no liability for default or delay in shipping. All orders, contracts, and agreements are made subject to delays contingent upon accidents, strikes, embargoes or other causes beyond our control.
- 9. Design and Materials:** All materials and designs are subject to change without notice.
- 10. Weights and Dimensions:** Weights and dimensions listed in the catalog are as close to actual as is practical but are not guaranteed and are subject to change without notice.
- 11. Errors:** All clerical errors are subject to correction.
- 12. Returns for Repair:** Valves returned for repair must be shipped prepaid and accompanied by a detailed report regarding service application, installation and nature of trouble or malfunction.
- 13. Returns for Credit:** Returns for credit will be accepted only with our consent. Credit will be subject to restocking charge and any additional expenses incurred in restoring valves to saleable condition. Credit will be issued only to original purchaser.
- 14. Taxes:** Any manufacturer's excise tax, use tax, sales tax or tax or duty of any nature shall be paid by the buyer. In the event that the seller is required to pay any such taxes or duties, the buyer shall reimburse seller therefore. The buyer may provide seller with an exemption certificate or other documents acceptable to taxing or customs authorities at the time an order is placed.
- 15. Guarantee:** MAGNATROL valves are guaranteed to be free from any defects in material and workmanship for one year or 500,000 cycles, whichever comes first. Our guarantee solely conveys the right to repair or replace free of charge, any defective valves, or parts, thereof, returned to us transportation charges prepaid, within one year after date of original shipment from factory.

This guarantee shall not apply if the valve has been:

- A. Improperly Installed
- B. Used for other than intended service
- C. Repaired without authorization

INDEX

<u>Description</u>	<u>Page(s)</u>
Valve Types N and NR	4, 5
Valve Types A and AR	6, 7
Valve Types M and MR	8, 9
Valve Types S and SR	10, 11
Valve Types L and LR	12, 13
Valve Types G and GR	14
Valve Type D	15
Valve Types J and JR	16, 17
Valve Types K and KR	18, 19
Valve Types W and WR	20, 21
Strainers, Options and Accessories	22
Valve Type P	23
Sandy Well Water Valves	24
Special Valves	24
Gritty Coolant Valves	25
Ordering Guideline	27

NOTE: All prices are shown in US \$.
Prices and discounts are subject
to change without notice.
Price corrections on revised editions
are shown in bold type.

QUICK DELIVERY

Standard shipment: 3 to 7 Days

Air Freight shipment: 1 to 2 Days

Consult factory for same day and next day shipments.

For valve type selection and pricing assistance,
please contact our sales staff at 973-427-4341 or
e-mail to info@magnatrol.com.

We will be happy to assist you.

BRONZE TYPE "N" - NORMALLY CLOSED 1/2" AND 3/4" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price												
					ALL DC	Other AC	E or F Encls.	Prefix Options				Seal		Suffix Options			
								DR	FC	MO	MS	V	T	HT	LT	NP	RB
1/4	USE 1/2" VALVE WITH REDUCER BUSHING																
3/8	USE 1/2" VALVE WITH REDUCER BUSHING or TYPE "M" VALVE																
1/2	25	3/8	G18N22	179	33	26	104	39	100	72	39	19	12	24	59	180	24
	50	1/4	G18N42	179	33	26	104	39	100	72	39	19	12	24	59	180	24
	75	3/16	G18N52	179	33	26	104	39	100		39	19	12	24	59	180	24
	100	5/32	G18N82	179	33	26	104	39	100		39	19	12	24	59	180	24
	150	1/8	G18N62	179	33	26	104	39	100		39	19	12	24	59	180	24
	225	3/32	G18N72	179	33	26	104	39	100		39	19	12	24	59	180	24
	50	3/8	G33N22	270	33	26	127	39	100	72	39	19	12	30	59	180	24
	75	5/16	G33N32	270	33	26	127	39	100	72	39	19	12	30	59	180	24
	100	1/4	G33N42	270	33	26	127	39	100	72	39	19	12	30	59	180	24
	150	3/16	G33N52	270	33	26	127	39	100		39	19	12	30	59	180	24
3/4	300	1/8	G33N62	270	33	26	127	39	100		39	19	12	30	59	180	24
	15	1/2	G18N13	187	33	26	104	39	100	72	39	19	14	24		196	
	35	5/16	G18N33	187	33	26	104	39	100	72	39	19	14	24		196	
	30	1/2	G33N13	281	33	26	127	39	100	72	39	19	14	30		196	
	75	5/16	G33N33	281	33	26	127	39	100	72	39	19	14	30		196	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

**BRONZE
TYPE "NR" - NORMALLY OPEN
1/2" AND 3/4" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price											
					ALL DC	Other AC	E or F Encls.	Prefix Options			Seal		Suffix Options			
								DR	FC	MS	V	T	HT	LT	NP	RB
1/4	USE 1/2" VALVE WITH REDUCER BUSHING															
3/8	USE 1/2" VALVE WITH REDUCER BUSHING or TYPE "MR" VALVE															
1/2	23	3/8	G18NR22	257	33	26	104	39	100	39	19	12	24	59	180	24
	45	1/4	G18NR42	257	33	26	104	39	100	39	19	12	24	59	180	24
	70	3/16	G18NR52	257	33	26	104	39	100	39	19	12	24	59	180	24
	90	5/32	G18NR82	257	33	26	104	39	100	39	19	12	24	59	180	24
	135	1/8	G18NR62	257	33	26	104	39	100	39	19	12	24	59	180	24
	200	3/32	G18NR72	257	33	26	104	39	100	39	19	12	24	59	180	24
	45	3/8	G33NR22	351	33	26	127	39	100	39	19	12	30	59	180	24
	70	5/16	G33NR32	351	33	26	127	39	100	39	19	12	30	59	180	24
	90	1/4	G33NR42	351	33	26	127	39	100	39	19	12	30	59	180	24
	135	3/16	G33NR52	351	33	26	127	39	100	39	19	12	30	59	180	24
270	1/8	G33NR62	351	33	26	127	39	100	39	19	12	30	59	180	24	
3/4	13	1/2	G18NR13	265	33	26	104	39	100	39	19	14	24		196	
	32	5/16	G18NR33	265	33	26	104	39	100	39	19	14	24		196	
	27	1/2	G33NR13	368	33	26	127	39	100	39	19	14	30		196	
	70	5/16	G33NR33	368	33	26	127	39	100	39	19	14	30		196	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

————— **MAGNATROL VALVE CORPORATION** —————
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE TYPE "A" FULL PORT - NORMALLY CLOSED 1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price																				
				ALL DC	Other AC	E or F Encls.	Prefix Options										Disc		Suffix Options				FLG	
							DP	DR	FC	LV	MO	MS	PD	PL	PLF	PS	PSF	V	T	HT	LT	NP		RB
1/2	110	G18A42	227	33	26	104	208	39	127	208	81	39	210	482	515	345	482	39	12	24	†	180	24	165
	200	G18A32	235	33	26	104	208	39	127	208	81	39	210	482	515	345	482	39	12	24		180	24	165
	300	G18A52	247	33	26	104	208	39	127		81	39	210	482	515	345	482	39	12	24		180	24	
	500	E33A62	415	33	26	39	208	39	127		81	39	210	482	515	345	482	39	12	30		180	24	
3/4	50	G18A23	257	33	26	104	258	39	135	258	92	39	210	482	515	345	482	46	14	24	44	196		165
	110	G18A43	257	33	26	104	258	39	135	258	92	39	210	482	515	345	482	46	14	24		196		165
	160	G118A43	311	33	26	104	258	39	135	258	92	39	210	482	515	345	482	46	14			196		165
	200	G33A33	363	33	26	127	258	39	135	258	92	39	210	482	515	345	482	46	14	30		196		165
	300	G33A53	367	33	26	127	258	39	135		92	39	210	482	515	345	482	46	14	30		196		
	500	E133A63	499	33	26	39	258	39	135		92	39	210	482	515	345	482	46	14			196		
1	50	G18A24	311	33	26	104	264	39	146	264	103	39	210	482	515	345	482	57	16	24	50	227		192
	110	G18A44	311	33	26	104	264	39	146	264	103	39	210	482	515	345	482	57	16	24		227		192
	160	G118A44	356	33	26	104	264	39	146	264	103	39	210	482	515	345	482	57	16			227		192
	200	G33A34	405	33	26	127	264	39	146	264	103	39	210	482	515	345	482	57	16	30		227		192
	300	G33A54	421	33	26	127	264	39	146		103	39	210	482	515	345	482	57	16	30		227		
	500	E133A64	563	33	26	39	264	39	146		103	39	210	482	515	345	482	57	16			227		
1-1/4	50	G18A25	396	33	26	104	300	39	153	300	135	39	250	515	549	379	515	66	22	24	50	290		246
	90	G18A45	396	33	26	104	300	39	153	300	135	39	250	515	549	379	515	66	22	24		290		246
	150	G118A45	457	33	26	104	300	39	153	300	135	39	250	515	549	379	515	66	22			290		246
	200	G33A35	512	33	26	127	300	39	153	300	135	39	250	515	549	379	515	66	22	30		290		246
	300	G33A55	512	33	26	127	300	39	153		135	39	250	515	549	379	515	66	22	30		290		
	500	G40A65	801		26	159	300	39				39	250	515	549	379	515	66	22	39		290		
1-1/2	50	G35A26	607	65	26	127	342	39	182	342	143	39	250	515	549	379	515	55	29	30	50	348		246
	115	G35A46	607	65	26	127	342	39	182	342	143	39	250	515	549	379	515	55	29	30		348		246
	160	G135A46	691	65	26	127	342	39	182	342	143	39	250	515	549	379	515	55	29			348		246
	200	G41A36	842	65	26	159	342	39	182	342	143	39	250	515	549	379	515	55	29	39		348		246
	300	G41A56	878	65	26	159	342	39	182		143	39	250	515	549	379	515	55	29	39		348		
	500	G141A66	1,041	65	26	159	342	39				39	250	515	549	379	515	55	29			348		
2	50	G36A27	877	65	26	127	428	39	250		161		303	537	570	399	537	61	44	30	61	421		302
	100	G36A47	894	65	26	127	428	39	250		161		303	537	570	399	537	61	44	30		421		302
	150	G136A47	994	65	26	127	428	39	250		161		303	537	570	399	537	61	44			421		302
	200	G42A37	1,211	65	26	159	428	39	250		161		303	537	570	399	537	61	44	39		421		302
	300	G42A57	1,276	65	26	159	428	39	250		161		303	537	570	399	537	61	44	39		421		
	500	G142A67	1,451	65	26	159	428	39					303	537	570	399	537	61	44			421		
2-1/2	50	G43A28	1,462	65	26	159	476	39	291		235		303	537	570	399	537	108	65	39	61	519		437
	125	G43A48	1,511	65	26	159	476	39	291		235		303	537	570	399	537	108	65	39		519		437
	200	G43A38	1,606	65	26	159	476	39	291		235		303	537	570	399	537	108	65	39		519		437
	300	G143A58	1,729	65	26	159	476	39	291		235		303	537	570	399	537	108	65			519		
3	50	G44A29	1,902	65	26	159	573	39	385		303		365	618	651	482	618	130	96	39	61	612		492
	100	G44A49	2,007	65	26	159	573	39	385		303		365	618	651	482	618	130	96	39		612		492
	200	G44A39	2,119	65	26	159	573	39	385		303		365	618	651	482	618	130	96	39		612		492
	300	G144A59	2,352	65	26	159	573	39	385		303		365	618	651	482	618	130	96			612		

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.

† LT OPTION AVAILABLE FOR PRESSURES UNDER 60 PSI.

SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.

IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days

Air Freight shipment: 1 to 2 Days

Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
 Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
 Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE
TYPE "AR" FULL PORT - NORMALLY OPEN
1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price										
				ALL DC	Other AC	E or F Encls.	Prefix		Disc		Suffix Options			FLG
							DP	MS	V	T	HT	NP	RB	
1/2	110	G18AR42	334	33	26	104	208	39	39	12	24	180	24	165
	200	G18AR32	344	33	26	104	208	39	39	12	24	180	24	165
	300	G18AR52	351	33	26	104	208	39	39	12	24	180	24	
	500	E33AR62	545	33	26	39	208	39	39	12	30	180	24	
3/4	50	G18AR23	361	33	26	104	258	39	46	14	24	196		165
	110	G18AR43	361	33	26	104	258	39	46	14	24	196		165
	200	G33AR33	467	33	26	127	258	39	46	14	30	196		165
	300	G33AR53	484	33	26	127	258	39	46	14	30	196		
	500	E133AR63	614	33	26	39	258	39	46	14		196		
1	50	G18AR24	426	33	26	104	264	39	57	16	24	227		192
	110	G18AR44	426	33	26	104	264	39	57	16	24	227		192
	200	G33AR34	540	33	26	127	264	39	57	16	30	227		192
	300	G33AR54	556	33	26	127	264	39	57	16	30	227		
	500	E133AR64	709	33	26	39	264	39	57	16		227		
1-1/4	50	G18AR25	512	33	26	104	300	39	66	22	24	290		246
	90	G18AR45	512	33	26	104	300	39	66	22	24	290		246
	200	G33AR35	640	33	26	127	300	39	66	22	30	290		246
	300	G33AR55	640	33	26	127	300	39	66	22	30	290		
	500	G40AR65	1,071		26	159	300	39	66	22	39	290		
1-1/2	50	G35AR26	752	65	26	127	342	39	55	29	30	348		246
	115	G35AR46	752	65	26	127	342	39	55	29	30	348		246
	200	G41AR36	1,013	65	26	159	342	39	55	29	39	348		246
	300	G41AR56	1,081	65	26	159	342	39	55	29	39	348		
	500	G141AR66	1,333	65	26	159	342	39	55	29		348		
2	50	G36AR27	1,049	65	26	127	428		61	44	30	421		302
	100	G36AR47	1,063	65	26	127	428		61	44	30	421		302
	200	G42AR37	1,484	65	26	159	428		61	44	39	421		302
	300	G42AR57	1,586	65	26	159	428		61	44	39	421		
	500	G142AR67	1,834	65	26	159	428		61	44		421		
2-1/2	50	G43AR28	1,747	65	26	159	476		108	65	39	519		437
	125	G43AR48	1,813	65	26	159	476		108	65	39	519		437
	200	G43AR38	1,956	65	26	159	476		108	65	39	519		437
	300	G143AR58	2,193	65	26	159	476		108	65		519		
3	50	G44AR29	2,413	65	26	159	573		130	96	39	612		492
	100	G44AR49	2,510	65	26	159	573		130	96	39	612		492
	200	G44AR39	2,677	65	26	159	573		130	96	39	612		492
	300	G144AR59	2,887	65	26	159	573		130	96		612		

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
 SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
 IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days

Air Freight shipment: 1 to 2 Days

Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
 Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
 Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

**BRONZE
TYPE "M" - NORMALLY CLOSED
3/8" TO 3/4" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price											
					ALL DC	Other AC	E or F Encls.	Prefix Options				Seal		Suffix		
								DR	FC	MO	MS	V	T	LT	NP	RB
3/8	25	3/8	G10M21	208	58	26	104	39	100	72	39		12	59	180	24
	50	1/4	G10M41	208	58	26	104	39	100	72	39		12	59	180	24
	75	3/16	G10M51	208	58	26	104	39	100		39		12	59	180	24
	100	5/32	G10M81	208	58	26	104	39	100		39		12	59	180	24
	150	1/8	G10M61	208	58	26	104	39	100		39		12	59	180	24
	50	3/8	G25M21	308	58	26	127	39	100	72	39		12	59	180	24
	75	5/16	G25M31	308	58	26	127	39	100	72	39		12	59	180	24
	100	1/4	G25M41	308	58	26	127	39	100	72	39		12	59	180	24
	150	3/16	G25M51	308	58	26	127	39	100		39		12	59	180	24
1/2	25	3/8	G10M22	223	58	26	104	39	100	72	39		12	59	180	24
	50	1/4	G10M42	223	58	26	104	39	100	72	39		12	59	180	24
	75	3/16	G10M52	223	58	26	104	39	100		39		12	59	180	24
	100	5/32	G10M82	223	58	26	104	39	100		39		12	59	180	24
	150	1/8	G10M62	223	58	26	104	39	100		39		12	59	180	24
	50	3/8	G25M22	330	58	26	127	39	100	72	39		12	59	180	24
	75	5/16	G25M32	330	58	26	127	39	100	72	39		12	59	180	24
	100	1/4	G25M42	330	58	26	127	39	100	72	39		12	59	180	24
150	3/16	G25M52	330	58	26	127	39	100		39		12	59	180	24	
3/4	15	1/2	G10M13	238	58	26	104	39	100	72	39		14		196	
	35	5/16	G10M33	238	58	26	104	39	100	72	39		14		196	
	30	1/2	G25M13	349	58	26	127	39	100	72	39		14		196	
	75	5/16	G25M33	349	58	26	127	39	100	72	39		14		196	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

**BRONZE
TYPE "MR" - NORMALLY OPEN
3/8" TO 3/4" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price										
					ALL DC	Other AC	E or F Encls.	Prefix Options			Seal		Suffix		
								DR	FC	MS	V	T	LT	NP	RB
3/8	23	3/8	G10MR21	305	58	26	104	39	100	39		12	59	180	24
	45	1/4	G10MR41	305	58	26	104	39	100	39		12	59	180	24
	70	3/16	G10MR51	305	58	26	104	39	100	39		12	59	180	24
	90	5/32	G10MR81	305	58	26	104	39	100	39		12	59	180	24
	135	1/8	G10MR61	305	58	26	104	39	100	39		12	59	180	24
	45	3/8	G25MR21	416	58	26	127	39	100	39		12	59	180	24
	70	5/16	G25MR31	416	58	26	127	39	100	39		12	59	180	24
	90	1/4	G25MR41	416	58	26	127	39	100	39		12	59	180	24
	135	3/16	G25MR51	416	58	26	127	39	100	39		12	59	180	24
1/2	23	3/8	G10MR22	321	58	26	104	39	100	39		12	59	180	24
	45	1/4	G10MR42	321	58	26	104	39	100	39		12	59	180	24
	70	3/16	G10MR52	321	58	26	104	39	100	39		12	59	180	24
	90	5/32	G10MR82	321	58	26	104	39	100	39		12	59	180	24
	135	1/8	G10MR62	321	58	26	104	39	100	39		12	59	180	24
	45	3/8	G25MR22	434	58	26	127	39	100	39		12	59	180	24
	70	5/16	G25MR32	434	58	26	127	39	100	39		12	59	180	24
	90	1/4	G25MR42	434	58	26	127	39	100	39		12	59	180	24
3/4	13	1/2	G10MR13	344	58	26	104	39	100	39		14		196	
	32	5/16	G10MR33	344	58	26	104	39	100	39		14		196	
	27	1/2	G25MR13	458	58	26	127	39	100	39		14		196	
	70	5/16	G25MR33	458	58	26	127	39	100	39		14		196	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnetrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnetrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnetrol.com

BRONZE TYPE "S" FULL PORT - NORMALLY CLOSED 1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price																	
				ALL DC	Other AC	E or F Encls	Prefix Options										Disc		Suffix		FLG
							DR	FC	LV	MO	MS	PD	PL	PLF	PS	PSF	V	NP	RB	F1	
1/2	90	G14S22	279	58	26	104	39	127	208	81	39	210	482	515	345	482	30	180	24	165	
	140	G114S42	286	58	26	104	39	127	208	81	39	210	482	515	345	482	30	180	24	165	
	180	G129S42	382	58	26	127	39	127	208	81	39	210	482	515	345	482	30	180	24		
3/4	50	G14S23	313	58	26	104	39	135	258	92	39	210	482	515	345	482	35	196		165	
	110	G114S43	320	58	26	104	39	135	258	92	39	210	482	515	345	482	35	196		165	
	180	G129S43	420	58	26	127	39	135	258	92	39	210	482	515	345	482	35	196			
1	25	G16S14	366	58	26	104	39	146	264	103	39	210	482	515	345	482	45	227		192	
	50	G116S24	377	58	26	104	39	146	264	103	39	210	482	515	345	482	45	227		192	
	90	G116S44	387	58	26	104	39	146	264	103	39	210	482	515	345	482	45	227		192	
	180	G131S44	498	58	26	127	39	146	264	103	39	210	482	515	345	482	45	227			
1-1/4	25	G17S15	457	58	26	104	39	153	300	135	39	250	515	549	379	515	47	290		246	
	50	G117S25	466	58	26	104	39	153	300	135	39	250	515	549	379	515	47	290		246	
	140	G132S45	571	58	26	127	39	153	300	135	39	250	515	549	379	515	47	290		246	
	180	G140S45	917		26	159	39	153	300	135	39	250	515	549	379	515	47	290			
1-1/2	25	G35S16	648	87	26	127	39	182	342	143	39	250	515	549	379	515	55	348		246	
	50	G35S26	667	87	26	127	39	182	342	143	39	250	515	549	379	515	55	348		246	
	90	G135S46	701	87	26	127	39	182	342	143	39	250	515	549	379	515	55	348		246	
	180	G141S46	1,041	87	26	159	39	182	342	143	39	250	515	549	379	515	55	348			
2	25	G36S17	944	87	26	127	39	250		161		303	537	570	399	537	61	421		302	
	50	G36S27	995	87	26	127	39	250		161		303	537	570	399	537	61	421		302	
	115	G42S47	1,471	87	26	159	39	250		161		303	537	570	399	537	61	421		302	
	180	G142S47	1,533	87	26	159	39	250		161		303	537	570	399	537	61	421			
2-1/2	25	G43S18	1,720	87	26	159	39	291		235		303	537	570	399	537	108	519		437	
	50	G43S28	1,822	87	26	159	39	291		235		303	537	570	399	537	108	519		437	
	115	G43S48	1,945	87	26	159	39	291		235		303	537	570	399	537	108	519		437	
	175	G143S48	2,070	87	26	159	39	291		235		303	537	570	399	537	108	519			
3	25	G44S19	2,193	87	26	159	39	385		303		365	618	651	482	618	130	612		492	
	50	G44S29	2,307	87	26	159	39	385		303		365	618	651	482	618	130	612		492	
	100	G44S49	2,434	87	26	159	39	385		303		365	618	651	482	618	130	612		492	
	150	G144S49	2,558	87	26	159	39	385		303		365	618	651	482	618	130	612		492	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

**BRONZE
TYPE "SR" FULL PORT - NORMALLY OPEN
1/2" TO 3" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price							
				ALL DC	Other AC	E or F Encls.	Prefix	Disc	Suffix		FLG
							MS	V	NP	RB	F1
1/2	90	G14SR22	413	58	26	104	39	30	180	24	165
	140	G114SR42	420	58	26	104	39	30	180	24	165
	180	G129SR42	545	58	26	127	39	30	180	24	
3/4	50	G14SR23	444	58	26	104	39	35	196		165
	110	G114SR43	450	58	26	104	39	35	196		165
	180	G129SR43	580	58	26	127	39	35	196		
1	25	G16SR14	530	58	26	104	39	45	227		192
	50	G116SR24	556	58	26	104	39	45	227		192
	90	G116SR44	572	58	26	104	39	45	227		192
	180	G131SR44	676	58	26	127	39	45	227		
1-1/4	25	G17SR15	629	58	26	104	39	47	290		246
	50	G117SR25	667	58	26	104	39	47	290		246
	140	G132SR45	822	58	26	127	39	47	290		246
	180	G140SR45	1,130		26	159	39	47	290		
1-1/2	25	G35SR16	893	87	26	127	39	55	348		246
	50	G35SR26	935	87	26	127	39	55	348		246
	90	G135SR46	976	87	26	127	39	55	348		246
	180	G141SR46	1,313	87	26	159	39	55	348		
2	25	G36SR17	1,256	87	26	127		61	421		302
	50	G36SR27	1,306	87	26	127		61	421		302
	115	G42SR47	1,834	87	26	159		61	421		302
	180	G142SR47	1,969	87	26	159		61	421		
2-1/2	25	G43SR18	2,139	87	26	159		108	519		437
	50	G43SR28	2,259	87	26	159		108	519		437
	115	G43SR48	2,400	87	26	159		108	519		437
	175	G143SR48	2,533	87	26	159		108	519		
3	25	G44SR19	2,665	87	26	159		130	612		492
	50	G44SR29	2,818	87	26	159		130	612		492
	100	G44SR49	2,974	87	26	159		130	612		492
	150	G144SR49	3,149	87	26	159		130	612		492

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnetrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnetrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnetrol.com

**BRONZE
TYPE "L" FULL PORT - NORMALLY CLOSED
1/2" TO 3" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price																			
				ALL DC	Other AC	E or F Encls.	Prefix Options												Disc V	Suffix Options			FLG
							DP	DR	FC	LV	MO	MS	PD	PL	PLF	PS	PSF	LT		NP	RB	F1	
1/2	110	G14L42	279	58	26	104	208	39	127	208	81	39	210	482	515	345	482	30	†	180	24	165	
	200	G14L32	294	58	26	104	208	39	127	208	81	39	210	482	515	345	482	30		180	24		
	300	G29L52	388	58	26	127	208	39	127		81	39	210	482	515	345	482	30		180	24		
	500	E29L62	464	58	26	39	208	39	127		81	39	210	482	515	345	482	30		180	24		
3/4	50	G14L23	313	58	26	104	258	39	135	258	92	39	210	482	515	345	482	35	44	196		165	
	110	G14L43	313	58	26	104	258	39	135	258	92	39	210	482	515	345	482	35		196		165	
	200	G29L33	421	58	26	127	258	39	135	258	92	39	210	482	515	345	482	35		196			
	300	G129L53	450	58	26	127	258	39	135		92	39	210	482	515	345	482	35		196			
	500	E129L63	557	58	26	39	258	39	135		92	39	210	482	515	345	482	35		196			
1	50	G16L24	366	58	26	104	264	39	146	264	103	39	210	482	515	345	482	45	50	227		192	
	110	G16L44	366	58	26	104	264	39	146	264	103	39	210	482	515	345	482	45		227		192	
	200	G31L34	484	58	26	127	264	39	146	264	103	39	210	482	515	345	482	45		227			
	300	G131L54	496	58	26	127	264	39	146		103	39	210	482	515	345	482	45		227			
	500	E131L64	611	58	26	39	264	39	146		103	39	210	482	515	345	482	45		227			
1-1/4	50	G17L25	457	58	26	104	300	39	153	300	135	39	250	515	549	379	515	47	50	290		246	
	90	G17L45	457	58	26	104	300	39	153	300	135	39	250	515	549	379	515	47		290		246	
	200	G32L35	583	58	26	127	300	39	153	300	135	39	250	515	549	379	515	47		290			
	300	G132L55	623	58	26	127	300	39	153		135	39	250	515	549	379	515	47		290			
	500	G140L65	917		26	159	300	39				39	250	515	549	379	515	47		290			
1-1/2	50	G35L26	661	87	26	127	342	39	182	342	143	39	250	515	549	379	515	55	50	348		246	
	115	G35L46	661	87	26	127	342	39	182	342	143	39	250	515	549	379	515	55		348		246	
	200	G41L36	964	87	26	159	342	39	182	342	143	39	250	515	549	379	515	55		348			
	300	G141L56	997	87	26	159	342	39	182		143	39	250	515	549	379	515	55		348			
	500	G141L66	1,139	87	26	159	342	39				39	250	515	549	379	515	55		348			
2	50	G36L27	949	87	26	127	428	39	250		161		303	537	570	399	537	61	61	421		302	
	100	G36L47	1,011	87	26	127	428	39	250		161		303	537	570	399	537	61		421		302	
	200	G42L37	1,462	87	26	159	428	39	250		161		303	537	570	399	537	61		421			
	300	G42L57	1,490	87	26	159	428	39	250		161		303	537	570	399	537	61		421			
	500	G142L67	1,664	87	26	159	428	39					303	537	570	399	537	61		421			
2-1/2	50	G43L28	1,720	87	26	159	476	39	291		235		303	537	570	399	537	108	61	519		437	
	125	G43L48	1,831	87	26	159	476	39	291		235		303	537	570	399	537	108		519		437	
	200	G43L38	1,945	87	26	159	476	39	291		235		303	537	570	399	537	108		519			
	300	G143L58	2,070	87	26	159	476	39	291		235		303	537	570	399	537	108		519			
3	50	G44L29	2,193	87	26	159	573	39	385		303		365	618	651	482	618	130	61	612		492	
	100	G44L49	2,296	87	26	159	573	39	385		303		365	618	651	482	618	130		612		492	
	200	G44L39	2,434	87	26	159	573	39	385		303		365	618	651	482	618	130		612			
	300	G144L59	2,611	87	26	159	573	39	385		303		365	618	651	482	618	130		612			

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.

† LT OPTION AVAILABLE FOR PRESSURES UNDER 60 PSI.

SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.

IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days

Air Freight shipment: 1 to 2 Days

Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

**BRONZE
TYPE "LR" FULL PORT - NORMALLY OPEN
1/2" TO 3" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price							
				ALL DC	Other AC	E or F Encls.	Prefix	Disc	Suffix		FLG
							MS	V	NP	RB	F1
1/2	110	G14LR42	416	58	26	104	39	30	180	24	165
	200	G14LR32	428	58	26	104	39	30	180	24	
	300	G29LR52	545	58	26	127	39	30	180	24	
	500	E29LR62	614	58	26	39	39	30	180	24	
3/4	50	G14LR23	449	58	26	104	39	35	196		165
	110	G14LR43	449	58	26	104	39	35	196		165
	200	G29LR33	580	58	26	127	39	35	196		
	300	G129LR53	614	58	26	127	39	35	196		
	500	E129LR63	710	58	26	39	39	35	196		
1	50	G16LR24	530	58	26	104	39	45	227		192
	110	G16LR44	530	58	26	104	39	45	227		192
	200	G31LR34	651	58	26	127	39	45	227		
	300	G131LR54	676	58	26	127	39	45	227		
	500	E131LR64	777	58	26	39	39	45	227		
1-1/4	50	G17LR25	638	58	26	104	39	47	290		246
	90	G17LR45	638	58	26	104	39	47	290		246
	200	G32LR35	798	58	26	127	39	47	290		
	300	G132LR55	832	58	26	127	39	47	290		
	500	G140LR65	1,140		26	159	39	47	290		
1-1/2	50	G35LR26	912	87	26	127	39	55	348		246
	115	G35LR46	912	87	26	127	39	55	348		246
	200	G41LR36	1,263	87	26	159	39	55	348		
	300	G141LR56	1,345	87	26	159	39	55	348		
	500	G141LR66	1,504	87	26	159	39	55	348		
2	50	G36LR27	1,277	87	26	127		61	421		302
	100	G36LR47	1,340	87	26	127		61	421		302
	200	G42LR37	1,852	87	26	159		61	421		
	300	G42LR57	1,924	87	26	159		61	421		
	500	G142LR67	2,125	87	26	159		61	421		
2-1/2	50	G43LR28	2,139	87	26	159		108	519		437
	125	G43LR48	2,281	87	26	159		108	519		437
	200	G43LR38	2,423	87	26	159		108	519		
	300	G143LR58	2,565	87	26	159		108	519		
3	50	G44LR29	2,772	87	26	159		130	612		492
	100	G44LR49	2,887	87	26	159		130	612		492
	200	G44LR39	2,995	87	26	159		130	612		
	300	G144LR59	3,149	87	26	159		130	612		

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

**BRONZE
TYPE "G" FULL PORT - NORMALLY CLOSED
1" TO 3" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price																		
				ALL DC	Other AC	E or F Encls.	Prefix Options							Disc		Suffix Options			FLG			
							DR	LV	MO	MS	PD	PL	PLF	PS	PSF	V	T	HT		NP	PT	F1
1	20	G18G24	267	33	26	104	39	264	103	39	210	482	515	345	482	70	16	24	227	39	192	
	30	G118G24	286	33	26	104	39	264	103	39	210	482	515	345	482	70	16		227	39	192	
	50	G133G24	388	33	26	127	39	264	103	39	210	482	515	345	482	70	16		227	39	192	
1-1/4	20	G18G25	333	33	26	104	39	300	135	39	250	515	549	379	515	81	22	24	290	39	246	
	30	G118G25	352	33	26	104	39	300	135	39	250	515	549	379	515	81	22		290	39	246	
	50	G133G25	464	33	26	127	39	300	135	39	250	515	549	379	515	81	22		290	39	246	
1-1/2	15	G18G26	433	65	26	104	39	342	143	39	250	515	549	379	515	88	29	24	348	39	246	
	25	G118G26	453	65	26	104	39	342	143	39	250	515	549	379	515	88	29		348	39	246	
	35	G133G26	570	65	26	127	39	342	143	39	250	515	549	379	515	88	29		348	39	246	
2	18	G33G27	678	65	26	127	39		161		303	537	570	399	537	103	44	30	421	39	302	
	30	G133G27	716	65	26	127	39		161		303	537	570	399	537	103	44		421	39	302	
	50	G233G27	782	65	26	127	39		161		303	537	570	399	537	103	44		421	39	302	
2-1/2	25	G43G28	1,316	65	26	159	39		235		303	537	570	399	537	116	65	39	519	39	437	
	35	G143G28	1,356	65	26	159	39		235		303	537	570	399	537	116	65		519	39	437	
3	25	G44G29	1,685	65	26	159	39		303		365	618	651	482	618	138	96	39	612	39	492	
	35	G144G29	1,739	65	26	159	39		303		365	618	651	482	618	138	96		612	39	492	

**BRONZE
TYPE "GR" FULL PORT - NORMALLY OPEN
1" TO 3" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price										
				ALL DC	Other AC	E or F Encls.	Prefix	Disc		Suffix Options			FLG	
							MS	V	T	HT	NP	PT		F1
1	20	G18GR24	382	33	26	104	39	70	16	24	227	39	192	
	35	G33GR24	484	33	26	127	39	70	16	30	227	39	192	
1-1/4	20	G18GR25	452	33	26	104	39	81	22	24	290	39	246	
	35	G33GR25	556	33	26	127	39	81	22	30	290	39	246	
1-1/2	15	G18GR26	580	65	26	104	39	88	29	24	348	39	246	
	25	G33GR26	703	65	26	127	39	88	29	30	348	39	246	
2	18	G33GR27	857	65	26	127		103	44	30	421	39	302	
	30	G133GR27	930	65	26	127		103	44		421	39	302	
2-1/2	25	G43GR28	1,606	65	26	159		116	65	39	519	39	437	
3	25	G44GR29	2,047	65	26	159		138	96	39	612	39	492	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days

Air Freight shipment: 1 to 2 Days

Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

**BRONZE
TYPE "D" FULL PORT - NORMALLY CLOSED
1/2" TO 2" PIPE SIZE**

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price												
				ALL DC	Other AC	E or F Encls.	Prefix Options			Disc		Suffix Options				FLG
							DR	MO	MS	V	T	HT	NP	RB	PT	F1
3/8	15	G18D11	185	33	26	104	39	81	39	45	12	24	180	24	39	
	30	G33D11	267	33	26	127	39	81	39	45	12	30	180	24	39	
1/2	10	G18D12	185	33	26	104	39	81	39	45	12	24	180		39	165
	20	G33D12	267	33	26	127	39	81	39	45	12	30	180		39	165
3/4	4	G18D13	204	33	26	104	39	92	39	47	14	24	196		39	165
	7.5	G33D13	292	33	26	127	39	92	39	47	14	30	196		39	165
1	2	G18D14	227	33	26	104	39	103	39	57	16	24	227		39	192
	3.5	G33D14	313	33	26	127	39	103	39	57	16	30	227		39	192
1-1/4	1.3	G18D15	270	33	26	104	39	135	39	66	22	24	290		39	246
	2.3	G33D15	361	33	26	127	39	135	39	66	22	30	290		39	246
1-1/2	0.8	G18D16	337	65	26	104	39	143	39	70	29	24	348		39	246
	1.5	G33D16	423	65	26	127	39	143	39	70	29	30	348		39	246
2	0.8	G33D17	545	65	26	127	39	161		88	44	30	421		39	302
	1.2	G133D17	591	65	26	127	39	161		88	44		421		39	302

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US \$.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com