Prices Effective April 3, 2023

PRICE BOOK

Magnatrol VALVE CORP.

Bronze and Stainless Steel 2-Way Solenoid Valves

...For Reliable Control of

Water, Oil, Steam, Air, Gas, Cryogenics, Solvents, Oxygen, and Corrosive Fluids

AVAILABLE for QUICK DELIVERY

Proudly Made in the USA

* CHECK ONLINE FOR PRICE BOOK UPDATES

Catalog 3020

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

Terms and Conditions of Sale

1. Catalog: This catalog supersedes all previous issues.

2. Quotations: Quotations are made for acceptance within 60 days and are subject to change or withdrawal without notice.

3. Prices and Discounts: All prices and discounts are in accordance with the prices and discounts established by Magnatrol and are subject to change without notice.

4. Terms: Net 30 days, subject to establishment of credit.

5. Shipments: All shipments are F.O.B. factory, Hawthorne, New Jersey. We are not responsible for any damage due to shipping.

6. Minimum Billing: Minimum billing charge is $ 50.00 net.

7. Cancellations: Orders are subject to cancellation only with our consent.

8. Shipping Date: There shall be no liability for default or delay in shipping. All orders, contracts, and agreements are made subject to delays contingent upon accidents, strikes, embargoes or other causes beyond our control.

9. Design and Materials: All materials and designs are subject to change without notice.

10. Weights and Dimensions: Weights and dimensions listed in the catalog are as close to actual as is practical but are not guaranteed and are subject to change without notice.

11. Errors: All clerical errors are subject to correction.

12. Returns for Repair: Valves returned for repair must be shipped prepaid and accompanied by a detailed report regarding service application, installation and nature of trouble or malfunction.

13. Returns for Credit: Returns for credit will be accepted only with our consent. Credit will be subject to restocking charge and any additional expenses incurred in restoring valves to saleable condition. Credit will be issued only to original purchaser.

14. Taxes: Any manufacturer's excise tax, use tax, sales tax or tax or duty of any nature shall be paid by the buyer. In the event that the seller is required to pay any such taxes or duties, the buyer shall reimburse seller therefore. The buyer may provide seller with an exemption certificate or other documents acceptable to taxing or customs authorities at the time an order is placed.

15. Guarantee: MAGNATROL valves are guaranteed to be free from any defects in material and workmanship for one year or 500,000 cycles, whichever comes first. Our guarantee solely conveys the right to repair or replace free of charge, any defective valves, or parts, thereof, returned to us transportation charges prepaid, within one year after date of original shipment from factory.

This guarantee shall not apply if the valve has been:
A. Improperly Installed
B. Used for other than intended service
C. Repaired without authorization

INDEX

Description	Page(s)
Valve Types N and NR	4, 5
Valve Types A and AR	6, 7
Valve Types M and MR	8, 9
Valve Types S and SR	10, 11
Valve Types L and LR	12, 13
Valve Types G and GR	14
Valve Type D	15
Valve Types J and JR	16, 17
Valve Types K and KR	18, 19
Valve Types W and WR	20, 21
Strainers, Options and Accessories	22
Valve Type P	23
Sandy Well Water Valves	24
Special Valves	24
Gritty Coolant Valves	25
Ordering Guideline	27

NOTE: All prices are shown in US $.
Prices and discounts are subject to change without notice.
Price corrections on revised editions are shown in bold type.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

For valve type selection and pricing assistance, please contact our sales staff at 973-427-4341 or e-mail to info@magnatrol.com.
We will be happy to assist you.

BRONZE
TYPE "N" - NORMALLY CLOSED
1/2" AND 3/4" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price												
					ALL DC	Other AC	E or F Encls.	Prefix Options				Seal		Suffix Options			
								DR	FC	MO	MS	V	T	HT	LT	NP	RB
1/4	USE 1/2" VALVE WITH REDUCER BUSHING																
3/8	USE 1/2" VALVE WITH REDUCER BUSHING or TYPE "M" VALVE																
1/2	25	3/8	G18N22	197	37	29	115	43	110	80	43	21	14	27	65	198	27
	50	1/4	G18N42	197	37	29	115	43	110	80	43	21	14	27	65	198	27
	75	3/16	G18N52	197	37	29	115	43	110		43	21	14	27	65	198	27
	100	5/32	G18N82	197	37	29	115	43	110		43	21	14	27	65	198	27
	150	1/8	G18N62	197	37	29	115	43	110		43	21	14	27	65	198	27
	225	3/32	G18N72	197	37	29	115	43	110		43	21	14	27	65	198	27
	50	3/8	G33N22	297	37	29	140	43	110	80	43	21	14	33	65	198	27
	75	5/16	G33N32	297	37	29	140	43	110	80	43	21	14	33	65	198	27
	100	1/4	G33N42	297	37	29	140	43	110	80	43	21	14	33	65	198	27
	150	3/16	G33N52	297	37	29	140	43	110		43	21	14	33	65	198	27
	300	1/8	G33N62	297	37	29	140	43	110		43	21	14	33	65	198	27
3/4	15	1/2	G18N13	206	37	29	115	43	110	80	43	21	16	27		216	
	35	5/16	G18N33	206	37	29	115	43	110	80	43	21	16	27		216	
	30	1/2	G33N13	310	37	29	140	43	110	80	43	21	16	33		216	
	75	5/16	G33N33	310	37	29	140	43	110	80	43	21	16	33		216	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE
TYPE "NR" - NORMALLY OPEN
1/2" AND 3/4" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price											
					ALL DC	Other AC	E or F Encls.	Prefix Options			Seal		Suffix Options			
								DR	FC	MS	V	T	HT	LT	NP	RB
1/4	USE 1/2" VALVE WITH REDUCER BUSHING															
3/8	USE 1/2" VALVE WITH REDUCER BUSHING or TYPE "MR" VALVE															
1/2	23	3/8	G18NR22	283	37	29	115	43	110	43	21	14	27	65	198	27
	45	1/4	G18NR42	283	37	29	115	43	110	43	21	14	27	65	198	27
	70	3/16	G18NR52	283	37	29	115	43	110	43	21	14	27	65	198	27
	90	5/32	G18NR82	283	37	29	115	43	110	43	21	14	27	65	198	27
	135	1/8	G18NR62	283	37	29	115	43	110	43	21	14	27	65	198	27
	200	3/32	G18NR72	283	37	29	115	43	110	43	21	14	27	65	198	27
	45	3/8	G33NR22	387	37	29	140	43	110	43	21	14	33	65	198	27
	70	5/16	G33NR32	387	37	29	140	43	110	43	21	14	33	65	198	27
	90	1/4	G33NR42	387	37	29	140	43	110	43	21	14	33	65	198	27
	135	3/16	G33NR52	387	37	29	140	43	110	43	21	14	33	65	198	27
	270	1/8	G33NR62	387	37	29	140	43	110	43	21	14	33	65	198	27
3/4	13	1/2	G18NR13	292	37	29	115	43	110	43	21	16	27		216	
	32	5/16	G18NR33	292	37	29	115	43	110	43	21	16	27		216	
	27	1/2	G33NR13	405	37	29	140	43	110	43	21	16	33		216	
	70	5/16	G33NR33	405	37	29	140	43	110	43	21	16	33		216	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE
TYPE "A" FULL PORT - NORMALLY CLOSED
1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price																					
				ALL DC	Other AC	E or F Encls.	Prefix Options											Disc		Suffix Options				FLG
							DP	DR	FC	LV	MO	MS	PD	PL	PLF	PS	PSF	V	T	HT	LT	NP	RB	F1
1/2	110	G18A42	250	37	29	115	229	43	140	229	90	43	231	531	567	380	531	43	14	27	†	198	27	182
	200	G18A32	259	37	29	115	229	43	140	229	90	43	231	531	567	380	531	43	14	27		198	27	182
	300	G18A52	272	37	29	115	229	43	140		90	43	231	531	567	380	531	43	14	27		198	27	
	500	E33A62	457	37	29	43	229	43	140		90	43	231	531	567	380	531	43	14	33		198	27	
3/4	50	G18A23	283	37	29	115	284	43	149	284	102	43	231	531	567	380	531	51	16	27	49	216		182
	110	G18A43	283	37	29	115	284	43	149	284	102	43	231	531	567	380	531	51	16	27		216		182
	160	G118A43	343	37	29	115	284	43	149	284	102	43	231	531	567	380	531	51	16			216		182
	200	G33A33	400	37	29	140	284	43	149	284	102	43	231	531	567	380	531	51	16	33		216		182
	300	G33A53	404	37	29	140	284	43	149		102	43	231	531	567	380	531	51	16	33		216		
	500	E133A63	549	37	29	43	284	43	149		102	43	231	531	567	380	531	51	16			216		
1	50	G18A24	343	37	29	115	291	43	161	291	114	43	231	531	567	380	531	63	18	27	55	250		212
	110	G18A44	343	37	29	115	291	43	161	291	114	43	231	531	567	380	531	63	18	27		250		212
	160	G118A44	392	37	29	115	291	43	161	291	114	43	231	531	567	380	531	63	18			250		212
	200	G33A34	446	37	29	140	291	43	161	291	114	43	231	531	567	380	531	63	18	33		250		212
	300	G33A54	464	37	29	140	291	43	161		114	43	231	531	567	380	531	63	18	33		250		
	500	E133A64	620	37	29	43	291	43	161		114	43	231	531	567	380	531	63	18			250		
1-1/4	50	G18A25	436	37	29	115	330	43	169	330	149	43	275	567	604	417	567	73	25	27	55	319		271
	90	G18A45	436	37	29	115	330	43	169	330	149	43	275	567	604	417	567	73	25	27		319		271
	150	G118A45	503	37	29	115	330	43	169	330	149	43	275	567	604	417	567	73	25			319		271
	200	G33A35	564	37	29	140	330	43	169	330	149	43	275	567	604	417	567	73	25	33		319		271
	300	G33A55	564	37	29	140	330	43	169		149	43	275	567	604	417	567	73	25	33		319		
	500	G40A65	882		29	175	330	43				43	275	567	604	417	567	73	25	43		319		
1-1/2	50	G35A26	668	72	29	140	377	43	201	377	158	43	275	567	604	417	567	61	32	33	55	383		271
	115	G35A46	668	72	29	140	377	43	201	377	158	43	275	567	604	417	567	61	32	33		383		271
	160	G135A46	761	72	29	140	377	43	201	377	158	43	275	567	604	417	567	61	32			383		271
	200	G41A36	927	72	29	175	377	43	201	377	158	43	275	567	604	417	567	61	32	43		383		271
	300	G41A56	966	72	29	175	377	43	201		158	43	275	567	604	417	567	61	32	43		383		
	500	G141A66	1,146	72	29	175	377	43				43	275	567	604	417	567	61	32			383		
2	50	G36A27	965	72	29	140	471	43	275		178		334	591	627	439	591	68	49	33	68	464		333
	100	G36A47	984	72	29	140	471	43	275		178		334	591	627	439	591	68	49	33		464		333
	150	G136A47	1,094	72	29	140	471	43	275		178		334	591	627	439	591	68	49			464		333
	200	G42A37	1,333	72	29	175	471	43	275		178		334	591	627	439	591	68	49	43		464		333
	300	G42A57	1,404	72	29	175	471	43	275		178		334	591	627	439	591	68	49	43		464		
	500	G142A67	1,597	72	29	175	471	43					334	591	627	439	591	68	49			464		
2-1/2	50	G43A28	1,609	72	29	175	524	43	321		259		334	591	627	439	591	119	72	43	68	571		481
	125	G43A48	1,663	72	29	175	524	43	321		259		334	591	627	439	591	119	72	43		571		481
	200	G43A38	1,767	72	29	175	524	43	321		259		334	591	627	439	591	119	72	43		571		481
	300	G143A58	1,902	72	29	175	524	43	321		259		334	591	627	439	591	119	72			571		
3	50	G44A29	2,093	72	29	175	631	43	424		334		402	680	717	531	680	143	106	43	68	674		542
	100	G44A49	2,208	72	29	175	631	43	424		334		402	680	717	531	680	143	106	43		674		542
	200	G44A39	2,331	72	29	175	631	43	424		334		402	680	717	531	680	143	106	43		674		542
	300	G144A59	2,588	72	29	175	631	43	424		334		402	680	717	531	680	143	106			674		

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.

† LT OPTION AVAILABLE FOR PRESSURES UNDER 60 PSI.

SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.

IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days

Air Freight shipment: 1 to 2 Days

Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507

Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE
TYPE "AR" FULL PORT - NORMALLY OPEN
1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price										
				ALL DC	Other AC	E or F Encls.	Prefix		Disc		Suffix Options			FLG
							DP	MS	V	T	HT	NP	RB	F1
1/2	110	G18AR42	368	37	29	115	229	43	43	14	27	198	27	182
	200	G18AR32	379	37	29	115	229	43	43	14	27	198	27	182
	300	G18AR52	387	37	29	115	229	43	43	14	27	198	27	
	500	E33AR62	600	37	29	43	229	43	43	14	33	198	27	
3/4	50	G18AR23	398	37	29	115	284	43	51	16	27	216		182
	110	G18AR43	398	37	29	115	284	43	51	16	27	216		182
	200	G33AR33	514	37	29	140	284	43	51	16	33	216		182
	300	G33AR53	533	37	29	140	284	43	51	16	33	216		
	500	E133AR63	676	37	29	43	284	43	51	16		216		
1	50	G18AR24	469	37	29	115	291	43	63	18	27	250		212
	110	G18AR44	469	37	29	115	291	43	63	18	27	250		212
	200	G33AR34	594	37	29	140	291	43	63	18	33	250		212
	300	G33AR54	612	37	29	140	291	43	63	18	33	250		
	500	E133AR64	780	37	29	43	291	43	63	18		250		
1-1/4	50	G18AR25	564	37	29	115	330	43	73	25	27	319		271
	90	G18AR45	564	37	29	115	330	43	73	25	27	319		271
	200	G33AR35	704	37	29	140	330	43	73	25	33	319		271
	300	G33AR55	704	37	29	140	330	43	73	25	33	319		
	500	G40AR65	1,179		29	175	330	43	73	25	43	319		
1-1/2	50	G35AR26	828	72	29	140	377	43	61	32	33	383		271
	115	G35AR46	828	72	29	140	377	43	61	32	33	383		271
	200	G41AR36	1,115	72	29	175	377	43	61	32	43	383		271
	300	G41AR56	1,190	72	29	175	377	43	61	32	43	383		
	500	G141AR66	1,467	72	29	175	377	43	61	32		383		
2	50	G36AR27	1,154	72	29	140	471		68	49	33	464		333
	100	G36AR47	1,170	72	29	140	471		68	49	33	464		333
	200	G42AR37	1,633	72	29	175	471		68	49	43	464		333
	300	G42AR57	1,745	72	29	175	471		68	49	43	464		
	500	G142AR67	2,018	72	29	175	471		68	49		464		
2-1/2	50	G43AR28	1,922	72	29	175	524		119	72	43	571		481
	125	G43AR48	1,995	72	29	175	524		119	72	43	571		481
	200	G43AR38	2,152	72	29	175	524		119	72	43	571		481
	300	G143AR58	2,413	72	29	175	524		119	72		571		
3	50	G44AR29	2,655	72	29	175	631		143	106	43	674		542
	100	G44AR49	2,761	72	29	175	631		143	106	43	674		542
	200	G44AR39	2,945	72	29	175	631		143	106	43	674		542
	300	G144AR59	3,176	72	29	175	631		143	106		674		

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE
TYPE "M" - NORMALLY CLOSED
3/8" TO 3/4" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price												
					ALL DC	Other AC	E or F Encls.	Prefix Options				Seal		Suffix		
								DR	FC	MO	MS	V	T	LT	NP	RB
3/8	25	3/8	G10M21	229	64	29	115	43	110	80	43		14	65	198	27
	50	1/4	G10M41	229	64	29	115	43	110	80	43		14	65	198	27
	75	3/16	G10M51	229	64	29	115	43	110		43		14	65	198	27
	100	5/32	G10M81	229	64	29	115	43	110		43		14	65	198	27
	150	1/8	G10M61	229	64	29	115	43	110		43		14	65	198	27
	50	3/8	G25M21	339	64	29	140	43	110	80	43		14	65	198	27
	75	5/16	G25M31	339	64	29	140	43	110	80	43		14	65	198	27
	100	1/4	G25M41	339	64	29	140	43	110	80	43		14	65	198	27
	150	3/16	G25M51	339	64	29	140	43	110		43		14	65	198	27
1/2	25	3/8	G10M22	246	64	29	115	43	110	80	43		14	65	198	27
	50	1/4	G10M42	246	64	29	115	43	110	80	43		14	65	198	27
	75	3/16	G10M52	246	64	29	115	43	110		43		14	65	198	27
	100	5/32	G10M82	246	64	29	115	43	110		43		14	65	198	27
	150	1/8	G10M62	246	64	29	115	43	110		43		14	65	198	27
	50	3/8	G25M22	363	64	29	140	43	110	80	43		14	65	198	27
	75	5/16	G25M32	363	64	29	140	43	110	80	43		14	65	198	27
	100	1/4	G25M42	363	64	29	140	43	110	80	43		14	65	198	27
	150	3/16	G25M52	363	64	29	140	43	110		43		14	65	198	27
3/4	15	1/2	G10M13	262	64	29	115	43	110	80	43		16		216	
	35	5/16	G10M33	262	64	29	115	43	110	80	43		16		216	
	30	1/2	G25M13	384	64	29	140	43	110	80	43		16		216	
	75	5/16	G25M33	384	64	29	140	43	110	80	43		16		216	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE
TYPE "MR" - NORMALLY OPEN
3/8" TO 3/4" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price										
					ALL DC	Other AC	E or F Encls.	Prefix Options			Seal		Suffix		
								DR	FC	MS	V	T	LT	NP	RB
3/8	23	3/8	G10MR21	336	64	29	115	43	110	43		14	65	198	27
	45	1/4	G10MR41	336	64	29	115	43	110	43		14	65	198	27
	70	3/16	G10MR51	336	64	29	115	43	110	43		14	65	198	27
	90	5/32	G10MR81	336	64	29	115	43	110	43		14	65	198	27
	135	1/8	G10MR61	336	64	29	115	43	110	43		14	65	198	27
	45	3/8	G25MR21	458	64	29	140	43	110	43		14	65	198	27
	70	5/16	G25MR31	458	64	29	140	43	110	43		14	65	198	27
	90	1/4	G25MR41	458	64	29	140	43	110	43		14	65	198	27
	135	3/16	G25MR51	458	64	29	140	43	110	43		14	65	198	27
1/2	23	3/8	G10MR22	354	64	29	115	43	110	43		14	65	198	27
	45	1/4	G10MR42	354	64	29	115	43	110	43		14	65	198	27
	70	3/16	G10MR52	354	64	29	115	43	110	43		14	65	198	27
	90	5/32	G10MR82	354	64	29	115	43	110	43		14	65	198	27
	135	1/8	G10MR62	354	64	29	115	43	110	43		14	65	198	27
	45	3/8	G25MR22	478	64	29	140	43	110	43		14	65	198	27
	70	5/16	G25MR32	478	64	29	140	43	110	43		14	65	198	27
	90	1/4	G25MR42	478	64	29	140	43	110	43		14	65	198	27
	135	3/16	G25MR52	478	64	29	140	43	110	43		14	65	198	27
3/4	13	1/2	G10MR13	379	64	29	115	43	110	43		16		216	
	32	5/16	G10MR33	379	64	29	115	43	110	43		16		216	
	27	1/2	G25MR13	504	64	29	140	43	110	43		16		216	
	70	5/16	G25MR33	504	64	29	140	43	110	43		16		216	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE
TYPE "S" FULL PORT - NORMALLY CLOSED
1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price																
				ALL DC	Other AC	E or F Encls	Prefix Options										Disc	Suffix		FLG
							DR	FC	LV	MO	MS	PD	PL	PLF	PS	PSF	V	NP	RB	F1
1/2	90	G14S22	307	64	29	115	43	140	229	90	43	231	531	567	380	531	33	198	27	182
	140	G114S42	315	64	29	115	43	140	229	90	43	231	531	567	380	531	33	198	27	182
	180	G129S42	421	64	29	140	43	140	229	90	43	231	531	567	380	531	33	198	27	
3/4	50	G14S23	345	64	29	115	43	149	284	102	43	231	531	567	380	531	39	216		182
	110	G114S43	352	64	29	115	43	149	284	102	43	231	531	567	380	531	39	216		182
	180	G129S43	462	64	29	140	43	149	284	102	43	231	531	567	380	531	39	216		
1	25	G16S14	403	64	29	115	43	161	291	114	43	231	531	567	380	531	50	250		212
	50	G116S24	415	64	29	115	43	161	291	114	43	231	531	567	380	531	50	250		212
	90	G116S44	426	64	29	115	43	161	291	114	43	231	531	567	380	531	50	250		212
	180	G131S44	548	64	29	140	43	161	291	114	43	231	531	567	380	531	50	250		
1-1/4	25	G17S15	503	64	29	115	43	169	330	149	43	275	567	604	417	567	52	319		271
	50	G117S25	513	64	29	115	43	169	330	149	43	275	567	604	417	567	52	319		271
	140	G132S45	629	64	29	140	43	169	330	149	43	275	567	604	417	567	52	319		271
	180	G140S45	1,009		29	175	43	169	330	149	43	275	567	604	417	567	52	319		
1-1/2	25	G35S16	713	96	29	140	43	201	377	158	43	275	567	604	417	567	61	383		271
	50	G35S26	734	96	29	140	43	201	377	158	43	275	567	604	417	567	61	383		271
	90	G135S46	772	96	29	140	43	201	377	158	43	275	567	604	417	567	61	383		271
	180	G141S46	1,146	96	29	175	43	201	377	158	43	275	567	604	417	567	61	383		
2	25	G36S17	1,039	96	29	140	43	275		178		334	591	627	439	591	68	464		333
	50	G36S27	1,095	96	29	140	43	275		178		334	591	627	439	591	68	464		333
	115	G42S47	1,619	96	29	175	43	275		178		334	591	627	439	591	68	464		333
	180	G142S47	1,687	96	29	175	43	275		178		334	591	627	439	591	68	464		
2-1/2	25	G43S18	1,892	96	29	175	43	321		259		334	591	627	439	591	119	571		481
	50	G43S28	2,005	96	29	175	43	321		259		334	591	627	439	591	119	571		481
	115	G43S48	2,140	96	29	175	43	321		259		334	591	627	439	591	119	571		481
	175	G143S48	2,277	96	29	175	43	321		259		334	591	627	439	591	119	571		
3	25	G44S19	2,413	96	29	175	43	424		334		402	680	717	531	680	143	674		542
	50	G44S29	2,538	96	29	175	43	424		334		402	680	717	531	680	143	674		542
	100	G44S49	2,678	96	29	175	43	424		334		402	680	717	531	680	143	674		542
	150	G144S49	2,814	96	29	175	43	424		334		402	680	717	531	680	143	674		542

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE
TYPE "SR" FULL PORT - NORMALLY OPEN
1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price							
				ALL DC	Other AC	E or F Encls.	Prefix	Disc	Suffix		FLG
							MS	V	NP	RB	F1
1/2	90	G14SR22	455	64	29	115	43	33	198	27	182
	140	G114SR42	462	64	29	115	43	33	198	27	182
	180	G129SR42	600	64	29	140	43	33	198	27	
3/4	50	G14SR23	489	64	29	115	43	39	216		182
	110	G114SR43	495	64	29	115	43	39	216		182
	180	G129SR43	638	64	29	140	43	39	216		
1	25	G16SR14	583	64	29	115	43	50	250		212
	50	G116SR24	612	64	29	115	43	50	250		212
	90	G116SR44	630	64	29	115	43	50	250		212
	180	G131SR44	744	64	29	140	43	50	250		
1-1/4	25	G17SR15	692	64	29	115	43	52	319		271
	50	G117SR25	734	64	29	115	43	52	319		271
	140	G132SR45	905	64	29	140	43	52	319		271
	180	G140SR45	1,243		29	175	43	52	319		
1-1/2	25	G35SR16	983	96	29	140	43	61	383		271
	50	G35SR26	1,029	96	29	140	43	61	383		271
	90	G135SR46	1,074	96	29	140	43	61	383		271
	180	G141SR46	1,445	96	29	175	43	61	383		
2	25	G36SR17	1,382	96	29	140		68	464		333
	50	G36SR27	1,437	96	29	140		68	464		333
	115	G42SR47	2,018	96	29	175		68	464		333
	180	G142SR47	2,166	96	29	175		68	464		
2-1/2	25	G43SR18	2,353	96	29	175		119	571		481
	50	G43SR28	2,485	96	29	175		119	571		481
	115	G43SR48	2,640	96	29	175		119	571		481
	175	G143SR48	2,787	96	29	175		119	571		
3	25	G44SR19	2,932	96	29	175		143	674		542
	50	G44SR29	3,100	96	29	175		143	674		542
	100	G44SR49	3,272	96	29	175		143	674		542
	150	G144SR49	3,464	96	29	175		143	674		542

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE
TYPE "L" FULL PORT - NORMALLY CLOSED
1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price																			
				ALL DC	Other AC	E or F Encls.	Prefix Options												Disc	Suffix Options			FLG
							DP	DR	FC	LV	MO	MS	PD	PL	PLF	PS	PSF	V	LT	NP	RB	F1
1/2	110	G14L42	307	64	29	115	229	43	140	229	90	43	231	531	567	380	531	33	†	198	27	182
	200	G14L32	324	64	29	115	229	43	140	229	90	43	231	531	567	380	531	33		198	27	
	300	G29L52	427	64	29	140	229	43	140		90	43	231	531	567	380	531	33		198	27	
	500	E29L62	511	64	29	43	229	43	140		90	43	231	531	567	380	531	33		198	27	
3/4	50	G14L23	345	64	29	115	284	43	149	284	102	43	231	531	567	380	531	39	49	216		182
	110	G14L43	345	64	29	115	284	43	149	284	102	43	231	531	567	380	531	39		216		182
	200	G29L33	464	64	29	140	284	43	149	284	102	43	231	531	567	380	531	39		216		
	300	G129L53	495	64	29	140	284	43	149		102	43	231	531	567	380	531	39		216		
	500	E129L63	613	64	29	43	284	43	149		102	43	231	531	567	380	531	39		216		
1	50	G16L24	403	64	29	115	291	43	161	291	114	43	231	531	567	380	531	50	55	250		212
	110	G16L44	403	64	29	115	291	43	161	291	114	43	231	531	567	380	531	50		250		212
	200	G31L34	533	64	29	140	291	43	161	291	114	43	231	531	567	380	531	50		250		
	300	G131L54	546	64	29	140	291	43	161		114	43	231	531	567	380	531	50		250		
	500	E131L64	673	64	29	43	291	43	161		114	43	231	531	567	380	531	50		250		
1-1/4	50	G17L25	503	64	29	115	330	43	169	330	149	43	275	567	604	417	567	52	55	319		271
	90	G17L45	503	64	29	115	330	43	169	330	149	43	275	567	604	417	567	52		319		271
	200	G32L35	642	64	29	140	330	43	169	330	149	43	275	567	604	417	567	52		319		
	300	G132L55	686	64	29	140	330	43	169		149	43	275	567	604	417	567	52		319		
	500	G140L65	1,009		29	175	330	43				43	275	567	604	417	567	52		319		
1-1/2	50	G35L26	728	96	29	140	377	43	201	377	158	43	275	567	604	417	567	61	55	383		271
	115	G35L46	728	96	29	140	377	43	201	377	158	43	275	567	604	417	567	61		383		271
	200	G41L36	1,061	96	29	175	377	43	201	377	158	43	275	567	604	417	567	61		383		
	300	G141L56	1,097	96	29	175	377	43	201		158	43	275	567	604	417	567	61		383		
	500	G141L66	1,253	96	29	175	377	43				43	275	567	604	417	567	61		383		
2	50	G36L27	1,044	96	29	140	471	43	275		178		334	591	627	439	591	68	68	464		333
	100	G36L47	1,113	96	29	140	471	43	275		178		334	591	627	439	591	68		464		333
	200	G42L37	1,609	96	29	175	471	43	275		178		334	591	627	439	591	68		464		
	300	G42L57	1,639	96	29	175	471	43	275		178		334	591	627	439	591	68		464		
	500	G142L67	1,831	96	29	175	471	43					334	591	627	439	591	68		464		
2-1/2	50	G43L28	1,892	96	29	175	524	43	321		259		334	591	627	439	591	119	68	571		481
	125	G43L48	2,015	96	29	175	524	43	321		259		334	591	627	439	591	119		571		481
	200	G43L38	2,140	96	29	175	524	43	321		259		334	591	627	439	591	119		571		
	300	G143L58	2,277	96	29	175	524	43	321		259		334	591	627	439	591	119		571		
3	50	G44L29	2,413	96	29	175	631	43	424		334		402	680	717	531	680	143	68	674		542
	100	G44L49	2,526	96	29	175	631	43	424		334		402	680	717	531	680	143		674		542
	200	G44L39	2,678	96	29	175	631	43	424		334		402	680	717	531	680	143		674		
	300	G144L59	2,873	96	29	175	631	43	424		334		402	680	717	531	680	143		674		

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.

† LT OPTION AVAILABLE FOR PRESSURES UNDER 60 PSI.

SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.

IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days

Air Freight shipment: 1 to 2 Days

Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507

Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE
TYPE "LR" FULL PORT - NORMALLY OPEN
1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price							
				ALL DC	Other AC	E or F Encls.	Prefix	Disc	Suffix		FLG
							MS	V	NP	RB	F1
1/2	110	G14LR42	458	64	29	115	43	33	198	27	182
	200	G14LR32	471	64	29	115	43	33	198	27	
	300	G29LR52	600	64	29	140	43	33	198	27	
	500	E29LR62	676	64	29	43	43	33	198	27	
3/4	50	G14LR23	494	64	29	115	43	39	216		182
	110	G14LR43	494	64	29	115	43	39	216		182
	200	G29LR33	638	64	29	140	43	39	216		
	300	G129LR53	676	64	29	140	43	39	216		
	500	E129LR63	781	64	29	43	43	39	216		
1	50	G16LR24	583	64	29	115	43	50	250		212
	110	G16LR44	583	64	29	115	43	50	250		212
	200	G31LR34	717	64	29	140	43	50	250		
	300	G131LR54	744	64	29	140	43	50	250		
	500	E131LR64	855	64	29	43	43	50	250		
1-1/4	50	G17LR25	702	64	29	115	43	52	319		271
	90	G17LR45	702	64	29	115	43	52	319		271
	200	G32LR35	878	64	29	140	43	52	319		
	300	G132LR55	916	64	29	140	43	52	319		
	500	G140LR65	1,254		29	175	43	52	319		
1-1/2	50	G35LR26	1,004	96	29	140	43	61	383		271
	115	G35LR46	1,004	96	29	140	43	61	383		271
	200	G41LR36	1,390	96	29	175	43	61	383		
	300	G141LR56	1,480	96	29	175	43	61	383		
	500	G141LR66	1,655	96	29	175	43	61	383		
2	50	G36LR27	1,405	96	29	140		68	464		333
	100	G36LR47	1,474	96	29	140		68	464		333
	200	G42LR37	2,038	96	29	175		68	464		
	300	G42LR57	2,117	96	29	175		68	464		
	500	G142LR67	2,338	96	29	175		68	464		
2-1/2	50	G43LR28	2,353	96	29	175		119	571		481
	125	G43LR48	2,510	96	29	175		119	571		481
	200	G43LR38	2,666	96	29	175		119	571		
	300	G143LR58	2,822	96	29	175		119	571		
3	50	G44LR29	3,050	96	29	175		143	674		542
	100	G44LR49	3,176	96	29	175		143	674		542
	200	G44LR39	3,295	96	29	175		143	674		
	300	G144LR59	3,464	96	29	175		143	674		

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

Prices Effective April 3, 2023

BRONZE
TYPE "G" FULL PORT - NORMALLY CLOSED
1" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price																	
				ALL DC	Other AC	E or F Encls.	Prefix Options									Disc		Suffix Options			FLG
							DR	LV	MO	MS	PD	PL	PLF	PS	PSF	V	T	HT	NP	PT	F1
1	20	G18G24	294	37	29	115	43	291	114	43	231	531	567	380	531	77	18	27	250	43	212
	30	G118G24	315	37	29	115	43	291	114	43	231	531	567	380	531	77	18		250	43	212
	50	G133G24	427	37	29	140	43	291	114	43	231	531	567	380	531	77	18		250	43	212
1-1/4	20	G18G25	367	37	29	115	43	330	149	43	275	567	604	417	567	90	25	27	319	43	271
	30	G118G25	388	37	29	115	43	330	149	43	275	567	604	417	567	90	25		319	43	271
	50	G133G25	511	37	29	140	43	330	149	43	275	567	604	417	567	90	25		319	43	271
1-1/2	15	G18G26	477	72	29	115	43	377	158	43	275	567	604	417	567	97	32	27	383	43	271
	25	G118G26	499	72	29	115	43	377	158	43	275	567	604	417	567	97	32		383	43	271
	35	G133G26	627	72	29	140	43	377	158	43	275	567	604	417	567	97	32		383	43	271
2	18	G33G27	746	72	29	140	43		178		334	591	627	439	591	114	49	33	464	43	333
	30	G133G27	788	72	29	140	43		178		334	591	627	439	591	114	49		464	43	333
	50	G233G27	861	72	29	140	43		178		334	591	627	439	591	114	49		464	43	333
2-1/2	25	G43G28	1,448	72	29	175	43		259		334	591	627	439	591	128	72	43	571	43	481
	35	G143G28	1,492	72	29	175	43		259		334	591	627	439	591	128	72		571	43	481
3	25	G44G29	1,854	72	29	175	43		334		402	680	717	531	680	152	##	43	674	43	542
	35	G144G29	1,913	72	29	175	43		334		402	680	717	531	680	152	##		674	43	542

BRONZE
TYPE "GR" FULL PORT - NORMALLY OPEN
1" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price									
				ALL DC	Other AC	E or F Encls	Prefix	Disc		Suffix Options			FLG
							MS	V	T	HT	NP	PT	F1
1	20	G18GR24	421	37	29	115	43	77	18	27	250	43	212
	35	G33GR24	533	37	29	140	43	77	18	33	250	43	212
1-1/4	20	G18GR25	498	37	29	115	43	90	25	27	319	43	271
	35	G33GR25	612	37	29	140	43	90	25	33	319	43	271
1-1/2	15	G18GR26	638	72	29	115	43	97	32	27	383	43	271
	25	G33GR26	774	72	29	140	43	97	32	33	383	43	271
2	18	G33GR27	943	72	29	140		114	49	33	464	43	333
	30	G133GR27	1,023	72	29	140		114	49		464	43	333
2-1/2	25	G43GR28	1,767	72	29	175		128	72	43	571	43	481
3	25	G44GR29	2,252	72	29	175		152	106	43	674	43	542

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE
TYPE "D" FULL PORT - NORMALLY CLOSED
1/2" TO 2" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price												
				ALL DC	Other AC	E or F Encls.	Prefix Options			Disc		Suffix Options				FLG
							DR	MO	MS	V	T	HT	NP	RB	PT	F1
3/8	15	G18D11	204	37	29	115	43	90	43	50	14	27	198	27	43	
	30	G33D11	294	37	29	140	43	90	43	50	14	33	198	27	43	
1/2	10	G18D12	204	37	29	115	43	90	43	50	14	27	198		43	182
	20	G33D12	294	37	29	140	43	90	43	50	14	33	198		43	182
3/4	4	G18D13	225	37	29	115	43	102	43	52	16	27	216		43	182
	7.5	G33D13	322	37	29	140	43	102	43	52	16	33	216		43	182
1	2	G18D14	250	37	29	115	43	114	43	63	18	27	250		43	212
	3.5	G33D14	345	37	29	140	43	114	43	63	18	33	250		43	212
1-1/4	1.3	G18D15	297	37	29	115	43	149	43	73	25	27	319		43	271
	2.3	G33D15	398	37	29	140	43	149	43	73	25	33	319		43	271
1-1/2	0.8	G18D16	371	72	29	115	43	158	43	77	32	27	383		43	271
	1.5	G33D16	466	72	29	140	43	158	43	77	32	33	383		43	271
2	0.8	G33D17	600	72	29	140	43	178		97	49	33	464		43	333
	1.2	G133D17	651	72	29	140	43	178		97	49		464		43	333

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

STAINLESS STEEL
TYPE "J" - NORMALLY CLOSED
3/8" TO 1/2" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price										
					ALL DC	Other AC	E or F Encls.	Prefix Options				Gasket	Suffix		
								DR	FC	MO	MS		T	LT	RB
3/8	25	3/8	G10J21	450	64	29	115	63	163	117	63		14	65	27
	75	3/16	G10J51	450	64	29	115	63	163	117	63		14	65	27
	150	1/8	G10J61	450	64	29	115	63	163		63		14	65	27
	50	3/8	G25J21	560	64	29	140	63	163	117	63		14	65	27
	150	3/16	G25J51	560	64	29	140	63	163		63		14	65	27
	300	1/8	G25J61	560	64	29	140	63	163		63		14	65	27
1/2	25	3/8	G10J22	467	64	29	115	63	163	117	63		14	65	27
	75	3/16	G10J52	467	64	29	115	63	163	117	63		14	65	27
	150	1/8	G10J62	467	64	29	115	63	163		63		14	65	27
	50	3/8	G25J22	577	64	29	140	63	163	117	63		14	65	27
	150	3/16	G25J52	577	64	29	140	63	163		63		14	65	27
	300	1/8	G25J62	577	64	29	140	63	163		63		14	65	27

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

STAINLESS STEEL
TYPE "JR" - NORMALLY OPEN
3/8" TO 1/2" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Valve Port Size	Type No.	List Price *	Add to List Price									
					ALL DC	Other AC	E or F Encls.	Prefix Options			Gasket		Suffix	
								DR	FC	MS		T	LT	RB
3/8	23	3/8	G10JR21	602	64	29	115	63	163	63		14	65	27
	70	3/16	G10JR51	602	64	29	115	63	163	63		14	65	27
	135	1/8	G10JR61	602	64	29	115	63	163	63		14	65	27
	45	3/8	G25JR21	754	64	29	140	63	163	63		14	65	27
	135	3/16	G25JR51	754	64	29	140	63	163	63		14	65	27
	300	1/8	G25JR61	754	64	29	140	63	163	63		14	65	27
1/2	23	3/8	G10JR22	674	64	29	115	63	163	63		14	65	27
	70	3/16	G10JR52	674	64	29	115	63	163	63		14	65	27
	135	1/8	G10JR62	674	64	29	115	63	163	63		14	65	27
	45	3/8	G25JR22	764	64	29	140	63	163	63		14	65	27
	135	3/16	G25JR52	764	64	29	140	63	163	63		14	65	27
	300	1/8	G25JR62	764	64	29	140	63	163	63		14	65	27

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

STAINLESS STEEL
TYPE "K" FULL PORT - NORMALLY CLOSED
1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price															
				ALL DC	Other AC	E or F Encls.	Prefix Options							Disc	Suffix			FLG	
							MO	MS	PD	PL	PLF	PS	PSF	V	LT	NP	RB	F1	F3
1/2	110	G14K42	520	64	29	115	135	63	231	531	567	380	531	33	†	198	27	197	
	200	G14K32	568	64	29	115	135	63	231	531	567	380	531	33		198	27	197	
	300	G29K52	773	64	29	140	135	63	231	531	567	380	531	33		198	27		241
	500	E29K62	940	64	29	43	135	63	231	531	567	380	531	33		198	27		241
3/4	110	G14K43	621	64	29	115	149	63	231	531	567	380	531	39	†	216		197	
	200	G29K33	791	64	29	140	149	63	231	531	567	380	531	39		216		197	
	300	G129K53	901	64	29	140	149	63	231	531	567	380	531	39		216			241
	500	E129K63	1,110	64	29	43	149	63	231	531	567	380	531	39		216			241
1	110	G16K44	717	64	29	115	168	63	231	531	567	380	531	50	†	250		212	
	200	G31K34	901	64	29	140	168	63	231	531	567	380	531	50		250		212	
	300	G131K54	987	64	29	140	168	63	231	531	567	380	531	50		250			260
	500	E131K64	1,221	64	29	43	168	63	231	531	567	380	531	50		250			260
1-1/2	115	G35K46	1,490	96	29	140	234	63	275	567	604	417	567	61	†	383		229	
	200	G41K36	1,947	96	29	175	234	63	275	567	604	417	567	61		383		229	
	300	G141K56	2,005	96	29	175	234	63	275	567	604	417	567	61		383			302
	500	G141K66	2,402	96	29	175		63	275	567	604	417	567	61		383			302
2	100	G36K47	2,241	96	29	140	263		334	591	627	439	591	68	†	464		260	
	200	G42K37	2,583	96	29	175	263		334	591	627	439	591	68		464		260	
	300	G42K57	2,642	96	29	175	263		334	591	627	439	591	68		464			333
	500	G142K67	3,240	96	29	175			334	591	627	439	591	68		464			333
3	100	G44K49F1	4,701	96	29	175	499		402	680	717	531	680	143	†	674		INC	
	200	G44K39F1	5,009	96	29	175	499		402	680	717	531	680	143		674		INC	
	300	G144K59F3	5,472	96	29	175	499		402	680	717	531	680	143		674			INC

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
† LT OPTION AVAILABLE FOR PRESSURES UNDER 60 PSI.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

STAINLESS STEEL
TYPE "KR" FULL PORT - NORMALLY OPEN
1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price								
				ALL DC	Other AC	E or F Encls.	Prefix	Disc	Suffix		FLG	
							MS	V	NP	RB	F1	F3
1/2	110	G14KR42	687	64	29	115	63	33	198	27	197	
	200	G14KR32	733	64	29	115	63	33	198	27	197	
	300	G29KR52	944	64	29	140	63	33	198	27		241
	500	E29KR62	1,120	64	29	43	63	33	198	27		241
3/4	110	G14KR43	801	64	29	115	63	39	216		197	
	200	G29KR33	976	64	29	140	63	39	216		197	
	300	G129KR53	1,094	64	29	140	63	39	216			241
	500	E129KR63	1,306	64	29	43	63	39	216			241
1	110	G16KR44	907	64	29	115	63	50	250		212	
	200	G31KR34	1,100	64	29	140	63	50	250		212	
	300	G131KR54	1,191	64	29	140	63	50	250			260
	500	E131KR64	1,432	64	29	43	63	50	250			260
1-1/2	115	G35KR46	1,735	96	29	140	63	61	383		229	
	200	G41KR36	2,203	96	29	175	63	61	383		229	
	300	G141KR56	2,264	96	29	175	63	61	383			302
	500	G141KR66	2,671	96	29	175	63	61	383			302
2	100	G36KR47	2,560	96	29	140		68	464		260	
	200	G42KR37	2,909	96	29	175		68	464		260	
	300	G42KR57	2,970	96	29	175		68	464			333
	500	G142KR67	3,588	96	29	175		68	464			333
3	100	G44KR49F1	5,782	96	29	175		143	674		INC	
	200	G44KR39F1	6,091	96	29	175		143	674		INC	
	300	G144KR59F3	6,554	96	29	175		143	674			INC

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS AND CRYOGENIC CLEANING.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

STAINLESS STEEL
TYPE "W" FULL PORT - NORMALLY CLOSED
1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price														
				ALL DC	Other AC	E or F Encls.	Prefix Options							Disc	Suffix		FLG	
							MO	MS	PD	PL	PLF	PS	PSF	V	NP	RB	F1	F3
1/2	90	G14W22	520	64	29	115	135	63	231	531	567	380	531	33	198	27	197	
	140	G114W42	538	64	29	115	135	63	231	531	567	380	531	33	198	27	197	
	180	G129W42	773	64	29	140	135	63	231	531	567	380	531	33	198	27	197	
3/4	50	G14W23	621	64	29	115	149	63	231	531	567	380	531	39	216		197	
	110	G114W43	641	64	29	115	149	63	231	531	567	380	531	39	216		197	
	180	G129W43	901	64	29	140	149	63	231	531	567	380	531	39	216		197	
1	25	G16W14	717	64	29	115	168	63	231	531	567	380	531	50	250		212	
	50	G116W24	734	64	29	115	168	63	231	531	567	380	531	50	250		212	
	90	G116W44	753	64	29	115	168	63	231	531	567	380	531	50	250		212	
	180	G131W44	987	64	29	140	168	63	231	531	567	380	531	50	250		212	
1-1/2	25	G35W16	1,490	96	29	140	234	63	275	567	604	417	567	61	383		229	
	50	G35W26	1,531	96	29	140	234	63	275	567	604	417	567	61	383		229	
	90	G135W46	1,568	96	29	140	234	63	275	567	604	417	567	61	383		229	
	180	G141W46	2,005	96	29	175	234	63	275	567	604	417	567	61	383		229	
2	25	G36W17	2,241	96	29	140	263		334	591	627	439	591	68	464		260	
	50	G36W27	2,291	96	29	140	263		334	591	627	439	591	68	464		260	
	115	G42W47	2,583	96	29	175	263		334	591	627	439	591	68	464		260	
	180	G142W47	2,642	96	29	175	263		334	591	627	439	591	68	464		260	
3	25	G44W19F1	4,547	96	29	175	499		402	680	717	531	680	143	674		INC	
	50	G44W29F1	4,855	96	29	175	499		402	680	717	531	680	143	674		INC	
	100	G44W49F1	5,009	96	29	175	499		402	680	717	531	680	143	674		INC	
	150	G144W49F1	5,318	96	29	175	499		402	680	717	531	680	143	674		INC	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

STAINLESS STEEL
TYPE "WR" FULL PORT - NORMALLY OPEN
1/2" TO 3" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price *	Add to List Price								
				ALL DC	Other AC	E or F Encls.	Prefix	Disc	Suffix		FLG	
							MS	V	NP	RB	F1	F3
1/2	90	G14WR22	687	64	29	115	63	33	198	27	197	
	140	G114WR42	704	64	29	115	63	33	198	27	197	
	180	G129WR42	944	64	29	140	63	33	198	27	197	
3/4	50	G14WR23	801	64	29	115	63	39	216		197	
	110	G114WR43	821	64	29	115	63	39	216		197	
	180	G129WR43	1,094	64	29	140	63	39	216		197	
1	25	G16WR14	907	64	29	115	63	50	250		212	
	50	G116WR24	927	64	29	115	63	50	250		212	
	90	G116WR44	944	64	29	115	63	50	250		212	
	180	G131WR44	1,191	64	29	140	63	50	250		212	
1-1/2	25	G35WR16	1,735	96	29	140	63	61	383		229	
	50	G35WR26	1,775	96	29	140	63	61	383		229	
	90	G135WR46	1,814	96	29	140	63	61	383		229	
	180	G141WR46	2,264	96	29	175	63	61	383		229	
2	25	G36WR17	2,560	96	29	140		68	464		260	
	50	G36WR27	2,613	96	29	140		68	464		260	
	115	G42WR47	2,909	96	29	175		68	464		260	
	180	G142WR47	2,970	96	29	175		68	464		260	
3	25	G44WR19F1	5,472	96	29	175		143	674		INC	
	50	G44WR29F1	5,782	96	29	175		143	674		INC	
	100	G44WR49F1	6,091	96	29	175		143	674		INC	
	150	G144WR49F1	6,401	96	29	175		143	674		INC	

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

OPTIONS / ACCESSORIES

STRAINERS

STAINLESS STEEL

Pipe Size Inches	Type No.	List Price	Add For Cryogenic Service
1/2	SS2	384	38
3/4	SS3	470	
1	SS4	653	
1-1/2	SS6	1,082	
2	SS7	1,339	
3	SS9	4,582	

Pipe Size	Screen Size
1/4" to 1"	60 Mesh with 0.009" openings
1-1/4" to 3"	0.020" diameter perforations

BRONZE

Pipe Size Inches	Type No.	List Price	Add For Cryogenic Service
1/4	BR0	119	38
3/8	BR1	129	
1/2	BR2	154	
3/4	BR3	175	
1	BR4	214	
1-1/4	BR5	378	
1-1/2	BR6	400	
2	BR7	662	
2-1/2	BR8	1,244	
3	BR9	2,292	

VALVE OPTIONS

Description	Suffix	Add
Stainless Steel (416SS) Tag	SS	43
Aluminum Tag	AL	43
Clean for Oxygen	CY	50
Clean for Cryogenic	CZ	50
Clean for Refrigerant	CR	50
Zinc Plated General Purpose Solenoid Enclosure	ZP	43
Hum-Free solenoid (Rectifier)	HF	103
DIN Connection on solenoid (male)	DN	103
Long Lead Wires (6 ft.)	LL	51
Ground Wire (not for exp.-proof)	GR	43
Extra Sealant on solenoid	EX	10
DIN Connection (female)		31
Cryogenic Seal Kit for Position Switch		62
Valve Specific Drawing		220
Socket-weld end, SS up to 1"		107
Socket-weld end, SS over 1"		129
BSPP or BSTP end, up to 1-1/2" Bronze / SS		84 / 107
BSPP or BSTP end, 2" to 3" Bronze / SS		110 / 182

NOTE: ALL PRICES ARE IN US $.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

BRONZE
TYPE "P" FULL PORT - NORMALLY CLOSED
1/2" TO 1-1/2" PIPE SIZE

Pipe Size Inches	Max. Diff. PSI	Type No.	Base Price	Add to List Price									
				ALL DC	ALL AC* (HF)	E or F Encls.	Prefix		Disc		Suffix		FLG
							MO	MS	V	T	NP	RB	F1
1/2	110	G118P42	278	37	103	115	90	43	43	14	198	27	182
	200	G118P32	285	37	103	115	90	43	43	14	198	27	182
	300	G118P52	300	37	103	115	90	43	43	14	198	27	
3/4	50	G118P23	310	37	103	115	102	43	51	16	216		182
	110	G118P43	310	37	103	115	102	43	51	16	216		182
	200	G133P33	435	37	103	140	102	43	51	16	216		182
	300	G133P53	439	37	103	140	102	43	51	16	216		
1	50	G118P24	371	37	103	115	114	43	63	18	250		212
	110	G118P44	371	37	103	115	114	43	63	18	250		212
	200	G133P34	483	37	103	140	114	43	63	18	250		
	300	G133P54	499	37	103	140	114	43	63	18	250		
1-1/2	115	G41P46	974	72	103	175	158	43	61	32	383		271
	200	G41P36	974	72	103	175	158	43	61	32	383		271
	300	G41P56	1,012	72	103	175	158	43	61	32	383		

* All Type P valves require a DC coil for proper operation.
Therefore, for AC voltages: Use DC adder + HF adder.
HF rectifier not available with explosion-proof enclosure.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

SPECIAL VALVES

SANDY WELL WATER VALVES

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price Standard AC Voltage*	Add to List Price ALL DC	Add to List Price Other AC
1/2	50	18A22-V	286	37	29
	80	118A22-V	350		
3/4	50	18A23-V	326	37	29
	75	118A23-V	391		
	125	233A23-V	535		
1	50	18A24-V	391	37	29
	75	118A24-V	451		
	125	133A24-V	586		
	200	233A24-V	594		
1-1/4	50	18A25-V	491	37	29
	75	118A25-V	567		
	110	133A25-V	675		
	300	140A45-V	1,022		
1-1/2	50	35A26-V	732	72	29
	75	135A26-V	834		
	125	41A26-V	1,059		
2	30	36A17-V	1,076	72	29
	50	136A17-V	1,198		
	75	136A27-V	1,212		
	125	42A27-V	1,538		
	185	142A27-V	1,748		
2-1/2	30	43A18-V	1,916	72	29
	50	143A18-V	2,065		
	75	243A18-V	2,098		
3	30	44A19-V	2,510	72	29
	50	144A19-V	2,781		
	75	244A19-V	2,840		

OTHER SPECIAL VALVES

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price	Voltage / Fail Position
3/4	150	33A43-EW	465	120 V, 60 Hz / Normally Closed
1	150	33A44-EW	536	120 V, 60 Hz / Normally Closed
1-1/4	100	33A25-EW	637	120 V, 60 Hz / Normally Closed
2	100	136A27-H	1,187	120 V, 60 Hz / Normally Closed
1	35	33G24	466	120 V, 60 Hz / Normally Closed
1-1/4	35	33G25	525	120 V, 60 Hz / Normally Closed
1-1/2	25	33G26	663	120 V, 60 Hz / Normally Closed
1-1/4	500	E133AR65	1,345	24V, DC / Normally Open

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY

Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION

Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

SPECIAL VALVES

GRITTY COOLANT VALVES
Normally Closed

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price	Add to List Price	
			Standard AC Voltage*	ALL DC	Other AC
1/2	80	MS18A42-C	374	37	29
	200	MS33A22-C	527		
	300	MS233A42-C	579		
3/4	80	MS18A43-C	413	37	29
	125	MS33A23-C	587		
	200	MS133A23-C	597		
	300	MS233A43-C	630		
1	200	MS233A24-C	670	37	29
	300	MS233A44-C	678		
1-1/4	200	MS233A25-C	854	37	29
	300	MS233A45-C	997		
1-1/2	300	MS241A46-C	1,359	72	29

GRITTY COOLANT VALVES
Normally Open

Pipe Size Inches	Max. Diff. PSI	Type No.	List Price	Add to List Price	
			Standard AC Voltage*	ALL DC	Other AC
1/2	200	MS33AR42-C	712	37	29
3/4	50	MS18AR23-C	567	37	29
	110	MS233AR43-C	726		
1	110	MS33AR44-C	703	37	29
	200	MS233AR24-C	810		
	300	MS233AR44-C	811		

* For standard AC voltages: 120, 208, 240 and 480, all 60 Hertz.

NOTE: ALL PRICES ARE IN US $.
AVAILABLE WITHOUT MOUNTING STUD.
SEE OPTIONS PAGE FOR OTHER AVAILABLE OPTIONS.
IF NO PRICE IS SHOWN, CONSULT FACTORY.

QUICK DELIVERY
Standard shipment: 3 to 7 Days
Air Freight shipment: 1 to 2 Days
Consult factory for same day and next day shipments.

MAGNATROL VALVE CORPORATION
Magnatrol Valve Corporation • P.O. Box 17 • 67 Fifth Avenue • Hawthorne • New Jersey 07507
Info@magnatrol.com • Phone:973-427-4341 • Fax:973-427-7611 • www.magnatrol.com

NOTES

ORDERING GUIDELINES

BULLETIN 3020-
ORDER GUIDELINES

...FOR MAGNATROL SOLENOID VALVES

MAGNATROL VALVE TYPE NUMBER DETAIL

If you have any questions, please call 973-427-4341, Fax 973-427-7611, or e-mail info@magnatrol.com

PREFIX OPTION FIELD	SOLENOID ENCLOSURE FIELD	VALVE TYPE NUMBER *Refer to Individual Bulletins for Type Number*	END CONNECTION TYPE	–	VOLTAGE DESC.	HERZ DESC.	VALVE DISC	FLUID FIELD	SUFFIX OPTION FIELD *(Add As Required)*

Prefix Letters for Options: *(Choose One)*

- **DP** - Dashpot (Consult factory for valve type availability)
- **DR** - Drain Plug **
- **FC** - Flow Control **
- **LV** - Lever *
- **MO** - Manual Override *
- **MS** - Mounting Stud
- **PD** - Position Display *
- **PL** - Position Switch w/LED *
- **PS** - Position Switch *

Prefix Letters for Solenoid Enclosures:

- **G** - General Purpose NEMA 12
- **E** - NEMA 4X
- **F** - Explosion Proof & NEMA 4X

End Connection Description:

- **SC** - Screwed, FNPT
- **F1** - 150# Flange
- **F3** - 300# Flange

Voltage Description:

- **A** - 120
- **B** - 208
- **C** - 240
- **D** - 480
- **E** - 575
- **F** - 6
- **G** - 12
- **H** - 24

Hertz Description:

- **A** - 50/60
- **B** - 50
- **C** - 60
- **D** - DC

Disc Material: †

- **B** - Buna N
- **T** - Teflon®
- **V** - Viton®
- **M** - Metal

Fluids:

- **C** - Gritty Coolant
- **G** - Gas/Air/Oxygen
- **H** - Hot Liquid ††
- **O** - Oil/Fuel Oil
- **S** - Steam
- **V** - Sandy Well Water
- **W** - Cold Liquid †††
- **Z** - Cryogenics/Liquid O_2

Suffix Letters for Options:

- **CR** - Clean For Freon/Refrigerant
- **CY** - Clean For Oxygen
- **CZ** - Clean For Cryogenics
- **DN** - Din Connector
- **HF** - Hum Free
- **HT** - High Temperature Coil
- **LL** - 6' Long Lead Wires
- **LT** - Leak Tight (Soft Seat Pilot)
- **NP** - Nickel Plated (.005 Thickness) Meets Mil Spec C26074
- **PT** - Pilot Tap ***
- **RB** - Reducing Bushing
- **ZP** - Zinc Plated Solenoid Housing

Metal Tags:

- **AL** - Aluminum Tag
- **SS** - Stainless Steel

† Refer to Individual Bulletins for Standard Orifice Seal/Disc Material.
NOTE: For N, NR, M, MR, J, & JR, this field is used to show a change to the Valve Body Seal Material

†† Use fluid designation "H" for light liquids up to 400° F. and Brine applications.

††† Use fluid designation "W" for light liquids under 212° F. (i.e. Water, Jet Fuel, Kerosene, Gasoline, Naptha, Alcohol, Soluable Oil, Coolant, Freon and Refrigerant).

* Normally Closed Valves Only

** Normally Closed and NR & MR Valves/FC not available on G valve type

*** Pilot Tap: Can be used along with any other option. Available On Type D, G and GR only.

Consult Factory for Assistance with:

- Additional voltages
- End Connections not shown
- Fluid Field designations

MAGNATROL VALVE CORPORATION • 67 Fifth Avenue • Hawthorne, NJ 07506
973.427.4341 • info@magnatrol.com • www.magnatrol.com